

# Supply and Procurement

Check out the latest featured  
products and services from **GSA**.



We're wrapping up a package that includes more products, faster delivery, easy ordering and guaranteed compliance with Federal purchasing regulations. Help us open it up at Expo 2003. Coming Soon! Visit our new online ordering site at [www.GSAglobalsupply.gsa.gov/5mt](http://www.GSAglobalsupply.gsa.gov/5mt)

Please visit the GSA Global Supply on the upper level at GSA Expo in San Antonio May 6-8 and receive your free gift.

**GSA Global Supply**  
**Your Reliable Government Source**

To place an order call 800-525-8027  
For EXPO 2003 Information call 888-272-5565

## Quench Your Thirst

### What is Dehydration?

Dehydration is the excessive loss of water from the body. In normal conditions, an adult needs about 5 pints of water each day to replace what is lost through normal bodily functions. If this fluid is not replaced, dehydration will occur. Mild dehydration, which is not considered very dangerous, sets in when the body loses only 5% of its fluids.

Moderate dehydration occurs when there is up to a 10% loss of body fluid. When 15% of the body's fluids have been lost, a person is considered to be severely dehydrated and should be treated as a medical emergency.

### What are the Dangers of Dehydration to the Body?

Dehydration can pose both short- and long- term dangers to your health. Long-term repeated episodes of dehydration can be damaging to the kidneys. Left untreated, severe dehydration may result in seizure, permanent brain damage, and ultimately death.

### What are the Symptoms of Dehydration?

- Thirst
- Fatigue
- Irritability
- Increased heart-rate and breathing
- Dizziness, confusion, and coma
- Low blood pressure
- Dry mouth
- Sunken eyes

### How can Dehydration be Prevented?

The easiest way to prevent dehydration is to consume plenty of fluids. This is especially important when the body is undergoing strenuous exercise or is exposed to heat. Water and common athletic drinks are recommended to keep the body hydrated. Beverages containing caffeine such as pop, tea, and coffee will essentially rob the body of the water it needs to function correctly. It's important to avoid these products when possible and drink water instead.

Items on the following pages are available from GSA global supply and can be ordered at (800) 525-8027.



## Supply and Procurement

---

**CamelBak PakTeen** hydration system. A 1.5-liter, fully insulated, stand-alone hydration unit for easy drink delivery. Features: Reservoir with wide-opening exterior fillport; closed cell insulation; drinking tube with insulated cover; positive shut-off Hydrolock valve; integrated MOLLE attachment system; and D-ring attachment points. System designed to fit inside a pack or lash onto a web harness outside of a pack. System includes reservoir capable of holding 50 oz (1.5 liters) of water. 12 inches long x 7 inches wide x 1 inch deep. Complete system weight is 0.50 lbs empty. For replacement reservoir, use CamelBak part number 90201.



**PakTeen Black**  
8465-01-396-9921  
\$28.41 (EA)



**CamelBak ThermoBak 2L** hydration system. A 2-liter back-mounted system for easy drink delivery. Features: Exterior fill port with ergonomic handle; detachable drinking tube with insulated cover and positive shut-off Hydrolock valve; adjustable, quick-release shoulder straps; abrasion-resistant 1000 denier Cordura nylon shell; ventilated mesh back panel. System is capable of holding 70-oz (2 liters) of water. 18 inches long x 8 inches wide x 1 inch deep. Complete system weight is 0.92 lbs empty. For replacement reservoir, use 8465-01-396-9927.



**ThermoBak 2L Black.**  
**Snapping Reservoir Compartment**  
8465-01-396-9917  
\$34.81 (EA)

**ThermoBak 2L Desert Camo.**  
**Zippered Reservoir Compartment**  
8465-01-396-9918  
\$36.94 (EA)

**CamelBak M.U.L.E.** hydration system. A 3-liter, back-mounted system for hands-free drink delivery. Features: Approximately 9 liters of storage; reservoir with wide-opening fill port; drinking tube with insulated cover and big bite valve; hydrolock shut-off valve, abrasion-resistant 1000 denier Cordura nylon shell; zippered reservoir compartment and 2 zippered cargo storage compartments; adjustable, padded shoulder suspension harness; removable belt and sternum strap; cool air ventilated back panel; MOLLE attachment system. System includes reservoir capable of holding 100 oz (3 liters) of water and has 540 cubic inches of cargo storage space. 18.5 inches long x 10 inches wide x 5 inches deep. Complete system weight is 1.81 lbs empty. For replacement reservoir, use 8465-01-396-9928.



**M.U.L.E. Black**  
8465-01-396-9919  
\$76.72 (EA)



**M.U.L.E. Desert Camo**  
8465-01-396-9926  
\$73.79 (EA)



**M.U.L.E. Woodland Camo**  
8465-01-396-9920  
\$73.79 (EA)



**H.A.W.G. Black**  
**8465-01-396-9922**  
**\$90.92 (EA)**

**CamelBak H.A.W.G.** black hydration system. A 3-liter, back-mounted system for hands-free drink delivery. Features: Approximately 18 liters of storage; dual antenna ports; 100 oz Omega reservoir with wide-opening fillport; independent suspension harness; Air Director ventilated back panel; sternum strap, removable waist belt, and compression straps. System includes reservoir capable of holding 100 oz (3 liters) of water and has 1100 cubic inches of cargo storage space. 19 inches long x 12 inches wide x 6 inches deep. Complete system weight is 2.60 lbs empty. For replacement reservoir, use 8465-01-396-9928.

**Replacement reservoir.** Longneck screw-cap water reservoir for back-mounted, human hydration drinking system. FDA-approved polyurethane reservoir with leak-proof, screw-top closure and black big bite valve. Large enough for ice cubes and designed to collapse flat, to ensure slosh-free draining, and to maintain a balanced pack; odor-free; taste-free; resistant to mildew.

Replacement reservoir for NSN 8465-01-396-9917 and 8465-01-396-9918.

**8465-01-396-9927 - \$16.71 (EA)**

Replacement reservoir for 8465-01-396-9919, 8465-01-396-9920, 8465-01-396-9922 and 8465-01-396-9926.

**8465-01-396-9928 - \$17.12 (EA)**



**Water Cooler.** Maintains contents' original temperature for approximately four hours. Features a plastic outer shell, plastic cover/stopper, polymethane foam insulation, self-closing faucet, and leak-proof inner and outer shells. Meets FDA requirements. With bail handle.

**7330-00-893-8549**  
**\$12.86 (EA)**  
**2-gallon capacity**

**7330-00-894-1269**  
**\$22.44 (EA)**  
**3-gallon capacity**

**Heavy-duty, 5-gal. water cooler.** Features include heavy-duty side handles, cup dispenser bracket and drip-proof recessed spigot, wide-mouth pressure-fit lid with molded-in contour handle and keeper cord, foamed-in-place insulation. "Drinking Water" imprint (meets OSHA requirements) and fits standard cooler racks.

**7330-01-449-2318**  
**\$32.58 (EA)**



**Heavy-duty, five-gallon water cooler.** Features durable, no-pinch carrying handles, cup dispenser bracket, recessed fast-flow spigot, wide-mouth screw-on lid, foamed-in-place insulation, and "Drinking Water" imprint (meets OSHA requirements). Fits standard cooler racks. Diameter: 12-1/2"; Height: 19". (NFES # 0943)

**7330-01-449-2319**  
**\$27.72 (EA)**

## Supply and Procurement

---

**Fresh water at your fingertips.** Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to normal, pressurized water supply pipe. Produces 9-1/2 gallons per hour draw-off capacity. Electrically cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on 110 to 120 volts AC, 60-Hz power. Meets UL and industry standards. Certified lead free by the manufacturer. Unit has an air-cooled condenser.



**Freestanding unit. 12"W x 12"D x 41-1/2"H**  
4110-00-255-8760  
\$322.73 (EA)

**Wall attaching unit 19"W x 19"L x 33"H**  
4110-00-782-5125  
\$321.36 (EA)



**Water cooler** quenches your thirst with electronically cooled water and features a self-closing faucet. A five-gallon inverted glass bottle, NSN 8125-00-132-9566 (not included), supplies water by the force of gravity. Freestanding unit has an air-cooled condenser. Freon coolant is required. Use only when pressure-type dispensers are impractical. 0.95 gallon per hour minimum of chilled 50°F drinking water at ARI rating conditions. It comes with a receptacle for wastewater so no drain line is required. Operates on 110 to 120 volts AC, 60-Hz power and has a three-wire cord. Meets UL and industry standards. Certified lead-free by the manufacturer. 25"W x 25"D x 38-1/2"H.

4110-00-203-0565  
\$178.35 (EA)

**Mechanically cooled 50°F water fountain** mounts on the wall. This barrier-free unit uses a single-valve to control the flow of water so that it may be consumed directly from the fountain without glasses or cups. Push bar front operated. Unit complies with Americans With Disabilities Act when properly installed and is lead-free. The dispenser uses bubbler-type pressure to produce six gallons per hour. Compressor runs on 115V, 60-Hz, single-phase power. A-A-2590. 19"W x 19"D x 21-1/2"H.



4110-01-280-0178  
\$353.31 (EA)



**Fresh water at your fingertips.** Bubbler-style drinking water dispenser gives a stream of water that arches from the outlet to the drain pan. Attaches to a normal, pressurized water supply pipe. Produces 9-1/2 gallons per hour draw-off capacity. Electrically cooled unit has a self-closing faucet and is encased in a steel cabinet. With corrosion-resistant fittings and a three-wire cord. Operates on 110 to 120 volts AC, 60-Hz power. Meets UL and industry standards. Certified lead-free by the manufacturer. Unit has an air-cooled condenser. 12"W x 12"D x 40"H.

4110-00-203-2706  
\$374.10 (EA)

## Need Packaging Tape?

Tape is something you don't think about until you need it. And when you need tape or tape dispensers, think of GSA Global Supply. We have just about every type and style of tape that you could possibly want and in widths ranging from 1" to 6".



### Medium Strength Tape

Medium strength, waterproof, and weather resistant with 3" core.

NSN	Color	Width	U/I	Price
7510-00-663-3732	Transparent	1"	RO (60 yd.)	\$4.32
7510-00-266-6715	Transparent	2"	RO (60 yd.)	\$2.02
7510-00-281-2700	Transparent	3"	RO (60 yd.)	\$3.04



### Box Sealing Tape

NSN	Color	Width	U/I	Price
7510-01-425-6768	Transparent	2"	RO (330 yd.)	\$0.76
7510-00-073-6094	Transparent	4"	RO (72 yd.)	\$1.56
7510-00-073-6096	Transparent	6"	RO (72 yd.)	\$3.86
7510-01-317-4215	Transparent	2"	RO (55 yd.)	\$0.56



### Polyester Film Tape

Waterproof and has 3" core.

NSN	Color	Width	U/I	Price
7510-00-987-6661	Clear	3/4"	RO (72 yd.)	\$5.41
7510-00-801-0482	Clear	4"	RO (72 yd.)	\$11.2



### Packing Tape

Medium duty kraft paper, must be moistened with water before use. Contains 1/2" diameter core opening (minimum).

NSN	Color	Width	U/I	Price
8135-00-271-1446	Natural	2-1/2"	RO (600 ft.)	\$3.14
8135-00-270-8717	Natural	3"	RO (600 ft.)	\$3.88
8135-00-155-5473	Natural	3"	RO (375 ft.)	\$4.23



### Packaging Tape Dispensers

NSN	Core Width	Tape Width	U/I	Price
7520-00-579-9053	3"	60 Yd. Roll, 1" Wide	EA 	\$3.96
7520-01-424-4851	3"	180 Ft. Roll, 2" Wide	EA 	\$6.31
7520-01-317-3230	3"	60 Yd. Roll, 2" Wide	EA 	\$21.85

To order from GSA Global Supply Call 1-800-525-8027

# JWOD Tape Keeps Your Packages and Seals Secure!

Through the Javits-Wagner-O'Day (JWOD) Program, the Cincinnati Association for the Blind provides Federal customers with a wide array of adhesive packaging, masking and sealing tapes to meet all of your sealing and securing needs. Purchases of these products assure the Federal Government of high-quality products while providing employment opportunities for people who are blind.

## Adhesive Tape - Waterproof

High-strength, waterproof, all temperature tape with woven cloth backing for most sealing applications. Inside core diameter is 3 in. Meets ASTM D 5486/D 5486M-93 specifications.

7510-00-890-9874                      3 in x 60 yds                      Olive                      \$13.09 RO



7510-00-890-9874

## Filament/Strapping Tape

This high-performance glass filament reinforced tape is manufactured using quality 3M materials. Superior tensile strength, ideal for bundling, unitizing, reinforcing and shipping jobs. Inside core diameter is 3 in. Meets ASTM D5330/D 5330M-93 Type II specifications.

7510-00-582-4771	1/2 in x 60 yds	White	\$1.33 RO
7510-00-582-4772	24 mm x 55 m	White	\$2.21 RO
7510-00-802-8311	3/4 in x 60 yds	White	\$1.77 RO
7510-00-159-4450	48 mm x 55 m	White	\$4.36 RO



7510-00-159-4450

## Masking Tape

Superior quality, crepe-backed masking tape is manufactured using quality 3M materials. Designed for critical industrial and airplane paint masking applications. Meets MIL-T-21595D M2 specifications.

7510-00-684-8784	1-1/2 in x 60 ft	Beige	\$3.75 RO
7510-00-685-4963	1 in x 60 ft	Beige	\$2.50 RO
7510-00-680-2450	1/2 in x 60 ft	Beige	\$1.50 RO
7510-00-680-2395	2 in x 60 ft	Beige	\$5.00 RO
7510-00-680-2471	3 in x 60 ft	Beige	\$7.46 RO



7510-00-680-2471

## Packing Tape

Water-resistant construction provides a quick, positive seal. Use for closing and sealing corrugated cartons and in automatic box sealing and box making equipment. Meets Uniform Freight Classification Rule 41 and ASTM Standard specification D5486/D5486M-96, Type V. Has a 3 in core.

7510-00-297-6655	2 in x 120 yds	Beige	\$7.97 RO
7510-00-297-6656	3 in x 120 yds	Beige	\$21.01 RO



7510-00-297-6655



# JWOD Tape Keeps Your Packages and Seals Secure!

## Pocket Duct Tape

Strong, durable, weatherproof pocket duct tape is wound on a flat core making it convenient to store and carry. Bonds to most surfaces, including ones that are porous. Individually packaged in a lock-tight poly bag for protection and convenience.

5640-00-NIB-0005            2 in x 5 yds            Olive            \$2.42 RO (NIB Only)



5640-00-NIB-0005

## Silver Duct Tape

Industrial strength, easy tear, 100% poly cloth for versatile indoor/outdoor use. Excellent performance for sheet metal and flex duct. Superior adhesion on hatch covers and cargo doors. 3 in core.

5640-00-103-2254            2 in x 60 yds            Silver            \$4.08 RO



5640-00-103-2254

## Waterproof Tape

High-strength, waterproof, all temperature tape with woven cloth backing for most sealing and securing needs. Bonds to almost any surface. Removes with little or no residue. Inside core diameter is 3 in. Meets ASTM D 5486/D 5486M-96 specifications.

7510-00-074-4960	24 mm x 55 m	Black	\$4.49 RO
7510-00-074-5122	24 mm x 55 m	Dark Green	\$4.49 RO
7510-00-890-9872	24 mm x 55 m	Olive	\$4.49 RO
7510-00-074-4954	3 in x 60 yds	White	\$13.46 RO
7510-00-074-4963	3 in x 60 yds	Black	\$13.46 RO
7510-00-074-4996	3 in x 60 yds	Red	\$13.46 RO
7510-00-074-5160	3 in x 60 yds	Dark Green	\$13.46 RO
7510-00-074-4955	4 in x 60 yds	White	\$16.14 RO (NIB Only)
7510-00-074-4964	4 in x 60 yds	Black	\$17.98 RO
7510-00-074-5029	4 in x 60 yds	Red	\$18.16 RO
7510-00-074-5174	4 in x 60 yds	Dark Green	\$17.96 RO
7510-00-890-9875	4 in x 60 yds	Olive	\$18.16 RO
7510-00-074-4952	48 mm x 55 m	White	\$8.99 RO
7510-00-074-4961	48 mm x 55 m	Black	\$8.99 RO
7510-00-074-4969	48 mm x 55 m	Red	\$8.99 RO
7510-00-074-5124	48 mm x 55 m	Dark Green	\$8.67 RO
7510-00-266-5016	48 mm x 55 m	Olive	\$8.99 RO
7510-00-074-5178	6 in x 60 yds	Dark Green	\$26.31 RO
7510-00-074-4962	60 mm x 55 m	Black	\$11.29 RO
7510-00-074-4978	60 mm x 55 m	Red	\$11.29 RO
7510-00-074-5100	60 mm x 55 m	Olive	\$11.29 RO
7510-00-074-5157	60 mm x 55 m	Dark Green	\$11.29 RO



7510-00-074-5124



## Paper Shredders Start Your Own Parade

Whether it's a matter of security or confidentiality, GSA offers paper shredders to fit your agency's every need. From small personal desk-side paper shredders to light duty office applications, we offer a machine that is just right for you. Our quality products offer the latest conveniences available in the commercial marketplace at pre-negotiated low prices. With the available ease of direct shipping, it's no wonder why so many agencies are turning to GSA for a simpler solution.

Featured below are NEW items and the most popular models we carry:

### ***NEW***

This "**Personal-size Paper Shredding machine**" features a 9" entry width and can handle all standard-size office documents. Shreds seven sheets per pass (25 to 50 shredding passes per day; approximately 350 sheets total) into confetti-like particles (5/32" x 1-3/8"), resulting in greater security and less frequently emptied wastebaskets. Exclusive "Powershred" cutting system accepts staples, credit cards, and small paper clips. Heavy-duty quiet motor allows for extended shredding cycle and less downtime. Clear window in 6-1/2 gallon wastebasket allows user to see when the basket is full.



7490-01-450-4974 (Fellowes P/N PS60CC)

Silver/Graphite

8" x 14-1/4" x 10"

\$161.65



The "**Personal Series**" **Deluxe Desk-Side Shredder** includes a unique integrated stand with separate wastebasket that allows the removal of the basket without lifting the shredder. Strip-cut shredder features automatic start/stop, 1/8" hp motor and a 9-1/2" throat. This PS70 model shreds up to 12 sheets of paper at a time.

7490-01-390-6162 (Fellowes P/N 36170)

Dove Gray

16-1/2" x 11" x 20-1/2"

\$167.29

This "**Personal Series**" **Deluxe Desk-Side Shredder** offers cross-cutting and includes a unique stand that allows removal of the wastebasket without lifting the shredder. Features automatic start/stop, 1/8" hp motor and a 9-1/2" throat. This PS80 model shreds up to 7 sheets of paper at a time into 5/32" x 4/5" unreadable, confetti-like particles.



7490-01-390-6163 (Fellowes P/N 36180)

Dove Gray

16-1/2" x 11" x 20-1/2"

\$196.89

## Paper Shredders

### Start Your Own Parade



**NEW FEATURE – SHREDS CDs**

The “Powershred 220” strip-cut shredder is for light-duty office applications. Includes a separate slot to shred CD’s. Small yet powerful, this shredder features a 10” entry width and easily handles all standard size office documents. Electronic automatic start/stop provides convenient, one-handed operation. Other features include automatic stop (with indicator light) when bin is full and automatic shut-off when door is ajar. Shreds up to 14 to 16 sheets per pass into 1/2” strips at a speed of 24 feet per minute. Heavy-duty quiet motors allow for extended shredding cycles. Waste container capacity 18 gallons.

7490-01-390-6147 (Fellowes P/N 38221)

\$422.80

To order from GSA Global Supply Call 1-800-525-8027

# Welcome Back to the Great Outdoors

GSA Global Supply has all the items you need when you need them, from first aid kits to bug spray.



To order these items and other supplies from GSA Global Supply:

**Phone:** 1-800-525-8027

**Fax:** 1-800-856-7057

**On line:** [GSAglobalsupply.gsa.gov/5mt](http://GSAglobalsupply.gsa.gov/5mt)

A: 5110-01-346-5339

B: 6840-01-490-6693

C: 6545-00-656-1093

D: 6230-01-291-7531

E: 8465-01-141-2321

F: 8520-01-490-7358

**GSA Global Supply**  
**Your Reliable Government Source**

## We Give You 100 Percent: A Breakthrough in Recycled Paper

Copier paper with 100% post-consumer material. This isn't just copier paper that meets current environmental requirements. You'll get reliable, high quality performance for clean, crisp copies. Although it is processed chlorine free (PCFs) with no additional bleaching, it offers an 84 brightness rating. And with a 20 lb basis weight, it is excellent for daily use in copiers and printers. Both paper and packaging are recyclable. Reams contain 500 sheets.

<u>NSN #</u>	<u>Product #</u>	<u>Description</u>	<u>Reams (500Sheets)/Carton</u>	<u>Price</u>
7530-01-503-8441	P1054922	8-1/2" X 11"	10	\$51.92
7530-01-503-8445	P1054922P	8-1/2" X 11", 3-hole punched	10	\$57.17
7530-01-503-8449	P1054924	8-1/2" X 14"	10	\$71.62
7530-01-503-8453	P1054925	11" X 17"	5	\$52.81

To order from GSA Global Supply Call 1-800-525-8027



# unparalleled in LUXURY, DURABILITY & COMFORT



Upholstered seats and backs and metal finishes are available in a wide variety of colors that easily coordinate with your facility's décor. Clarin chairs have the versatility required to accommodate many of today's multipurpose events, from reviewing stands to banquet settings, from sporting events to meeting rooms.



SCHEDULE NUMBER 71 III SPECIAL USE FURNITURE  
CONTRACT GS-28F-2008D  
FEIN# 36-3899689-CCR #3V177  
SPECIAL ITEM # 71-302




800.323.9062 toll free • [www.clarinseating.com](http://www.clarinseating.com) • [sales@clarinseating.com](mailto:sales@clarinseating.com)  
927 North Shore Drive • Lake Bluff, Illinois 60044 • 847.295.2200 phone • 847.234.9001 fax  
Clarín and the configuration of the CLARIN A and B back chairs are trademarks of Greenwich Industries, L.P. © October 2002 Greenwich Industries, L.P. All rights reserved.

# DMI OFFICE FURNITURE

**GSA Advantage!**<sup>™</sup>  
[www.gsaAdvantage.gov](http://www.gsaAdvantage.gov)

Schedule # 71-1 Office Furniture  
Contract # G5-28F-0019L  
DMI Furniture, Inc.

An industry leader in mid-market office furniture offering a breadth and depth of office furniture to satisfy a variety of office needs.



Our collections range from traditional to transitional to contemporary and modular styling and come in a variety of finishes.

*DMI*  
**Office Furniture**<sup>™</sup>

For more information, contact:  
DMI Office Furniture  
One Oxmoor Place, 101 Bullitt Lane  
Louisville, KY 40222  
Phone: 502-426-4351, FAX: 800-755-2878  
[www.dmifurniture.com](http://www.dmifurniture.com)


# KENNSINGTON™

TRADITION, EXCELLENCE, QUALITY



The Gunlocke Company  
One Gunlocke Drive  
Wayland, New York 14572  
585 728 5111  
585 728 8353 Fax  
www.gunlocke.com





# Need Staff?

GSA's Temporary Administrative and Professional Staffing (TAPS) Schedule 736 can help when your agency is faced with:

- Deployment
- Long Jury Duty
- Long Term Illnesses
- Family Emergencies
- Downsizing
- When the Day Is Just Not Long Enough
- Short Fuse Projects
- Lack of In-House Expertise
- A76 / Fair Act
- Short Deadlines

Within as little as 24 hours, private industry experts on GSA's Federal Supply Schedule 736 will provide you with proven and qualified temporary workers prepared to work from an initial 120 consecutive workdays up to a maximum 240 consecutive workdays.

GSA's Temporary Administrative and Professional Staffing (TAPS) Schedule is 100% small business set-aside. TAPS provides domestic and overseas coverage, offering quality people to meet your requirements!

- Administrative Support and Clerical Occupations (SIN 736-1)
- Automatic Data Process Occupations (SIN 736-2)
- General Services and Support (SIN 736-3)  
Material Handling and Packing Occupations And  
Mechanics and Maintenance/Repair Occupations
- Informational and Arts Occupations, Including  
Miscellaneous Occupations (SIN 736-4)
- Technical and Professional Occupations (SIN 736-5)
- Introduction of New Labor Categories For Taps (SIN 736-99)

For more information, visit us on the web at:  
[fss.gsa.gov/temperservices](http://fss.gsa.gov/temperservices)

Or visit our Schedules E-Library at [fss.gsa.gov/elibrary](http://fss.gsa.gov/elibrary) and search on Schedule 736 III.

Or contact the Lead Business Development Specialist:

Sharon Strohecker  
(817) 978-2504  
[Sharon.Strohecker@gsa.gov](mailto:Sharon.Strohecker@gsa.gov)

## GSA Has the Staff You Need!

**GSA** *Advantage!*<sup>™</sup>  
www.gsaAdvantage.gov

Define your space...

Tables   Chairs   Desks   Systems   Storage

A full line of workplace furniture.  
An endless number of possibilities.

1-800-466-8694

**HON**<sup>®</sup>

www.hon.com

Contract GS-28F-8047H  
(71 | Office Furniture)

## Let GSA Help You Keep Your Cool This Summer

Designed to improve air circulation at floor level. **Two-speed hassock fan** includes a rotary switch to select low or high speed, a 10-foot, two-wire electrical cord and a polished three-blade assembly (12" diameter). Circulates 2300 CFM minimum. Continuous-duty electric motor operates on 120V AC, 60-Hz, single-phase power. Conforms to UL standards. A-A-1942.

4140-00-203-3807 \$70.05 (EA)



These column-mounted, **two-speed pedestal fans** adjust to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid plastic blade assembly. Fans operate on 115V AC, 60-Hz power and have a three-conductor, 10-foot power cord. Conforms to UL standards

Oscillates a minimum of 80° and can be locked at any point on its oscillation range. 5000/7300 cfm airflow. A-A-3008. Blade diameter: 30".

4140-01-278-1527 \$254.31 (EA)

Oscillates a minimum of 80° and can be locked at any point on its oscillation range. 3925/5350 cfm air flow. A-A-3008. Blade diameter: 24".

4140-01-278-3874 \$235.99 (EA)

Stay cool with this **column-mounted, two-speed (minimum) pedestal fan** that adjusts to heights up to 96". Head of fan tilts 5° below and 15° above horizontal. A safety guard completely covers the metal or rigid plastic blade assembly. Fan operates on 115V AC, 60-Hz power and has a three-conductor, 10-foot power cord. Conforms to UL standards. Fan provides 4950/7300 cfm airflow. Blade diameter: 30"

4140-00-833-5068 \$161.17 (EA)



Lightweight, portable electric fan clips onto most tables, shelves or chairs. The multi-directional tilt adjusts easily. Has a six-foot power cord. Two speeds.

4140-01-416-4898 \$12.11 (EA)

# Keep Your Cool This Summer



Keep cool with these **three-speed oscillating fans**. Featuring push-button controls for low, medium and high speeds. Wall or desk mountable, oscillates 80° and converts from wall to desk with no tools. Made with three plastic blades and a three-wire, eight-foot electrical cord. Operates on 115V AC, 60-Hz, single-phase power. Conforms to UL standards. In accordance with CID A-A-1939.

**4140-00-256-9912**      **Blade diameter: 12"**      **\$31.03 (EA)**

**4140-00-851-9319**      **Blade diameter: 16"**      **\$37.41 (EA)**

Beat the heat with this **high-velocity, two-speed fan**. Use on the floor, desk or wall as an air circulator. It may also be used in the window for exhaust or intake purposes. The plastic blades circulate up to 2500 cfm of air in any direction at a 180° tilt. The tubular frame has a safety guard. This fan is free from radio interference. Operates on 110 to 120 volts AC, 60-cycle power and has a 10-foot-long, three-conductor cord and plug. Conforms to UL standards. In accordance with A-A 1943B.

**4140-00-961-5480**      **\$37.93**



## Determining VOC Requirements of Products Referencing Non-Government Standards

In accordance with Office of Management and Budget Circular Number A-119, *"Federal Participation in the Development and Use of Voluntary Consensus Standards and in Conformity Assessment Activities"*, Federal Agencies are to use voluntary consensus (non-government) standards instead of government-unique standards except where inconsistent with law or impractical. Accordingly, the GSA Hardware SuperStore has recently begun referencing the Master Painters' Institute (MPI) for non-government standards relating to architectural and industrial maintenance (AIM) coatings, and to require that suppliers' products be listed on the MPI Approved Products List for the standard being referenced before being allowed to sell their product to the government.

Although non-government standards (NGSs) do a good job in describing product performance, they often do not address product volatile organic compound content. For AIM coatings, the maximum allowable volatile organic compound (VOC) content is regulated by the U.S. Environmental Protection Agency's (U.S. EPA) final rule for National Volatile Organic

Compound Emission Standards for Architectural Coatings, published September 11, 1998. In this rule, U.S. EPA specifies to manufacturers the acceptable level of VOC for each coating type.

To better assist our customer, the GSA Hardware SuperStore has taken the applicable U.S. EPA VOC limits for each type of AIM coating that we sell, and referenced this information in product description and on the corresponding Federal Logistics Information System (FLIS) Total Item Record. Also, GSA requires manufacturers to list VOC content on every AIM coating product label. In this way, we are striving to provide managers with the information needed to make informed purchase decisions.

### References:

<http://www.epa.gov/ttn/atw/183e/aim/aimpg.html>

<http://www.paintinfo.com/mpi/guide/index.htm>

## GSA Has The Tools To Fit Your Needs

### Master Mechanic's Tool Kit

Kit is IAW Department Of Army Supply Catalog SC 5180-95-N05. Kit contains the following items: Pry bar; hand hacksaw blades and frame; mounting bracket; scratch wire brush; hand cold chisels; hand rivet buster chisel; spring tension clip; socket wrench extension; screw extractor set; hand file (Swiss & American pattern) contact-point flat, half, round regular, with wood handle; mechanical finger; gap setting gauge; thickness gauge; hand hammers; socket wrench handle; socket head screw key set; pocket knife; putty knife; retaining ring pliers set; diagonal cutting pliers; retaining ring pliers; slip joint pliers; aligning punch; solid center punch; drive pin punch; magnetic retrieving tool; tools and accessories rolls; machinist's steel rule; cross tip and standard and offset screwdriver set; flat tip screwdriver; offset screwdriver; screwdriver socket wrench attachments; socket wrench sets; stud remover and setter; 2m measuring tape; portable tool boxes; box wrench set; box and open-end combination wrench set; open-end (double-head) wrench set; attachment universal joint; adjustable auto wrench; adjustable open-end wrench; adjustable wrench; open-end box wrench; box (double-head) wrench; open-end tappet wrench; open-end wrench; pipe (heavy-duty adjustable) wrench and curved and straight jaw "vise grip" type pliers.

5180-00-699-5273 \$1992.00 (KT)



### General Mechanic's Tool Kit

All-in-one kit ideal for general maintenance and repairs. Kit includes: mounting brackets; pry bar; tool cleaning brush; cold chisel; spring tension clips; files; flashlight; thickness gauge; hammer; wood file handle, key sets; pocket and putty knives; padlock; pliers; aligning; drive pin and solid center punches; magnetic retrieving tool; tools and accessories roll; steel rule; cross-tip and flat-tip screwdrivers; metal cutting shears; sockets; socket wrench tool clip; test light; tool box; combination box and open-end wrenches and set; Allen wrench set; socket wrench set; solid extension bar; box; flare nut and open-end wrenches and pliers and spanner wrenches.

Dept of the Army Supply Catalog SC 5180-90-CL-N26.

5180-00-177-7033 \$669.02 (KT)



## **GSA Has The Tools To Fit Your Needs**

### **Electronic System Tool Kit**

All-in-one kit. Includes 53 individual tools; 31 interchangeable screwdriver/nutdriver blades and handles; extensions; electronic snips; straight nose soldering seizer; Bristol spline bits; Allen hexagonal socket screw key bits; Phillips and flat tip screwdriver blades; reamer; diagonal, chain nose' needle nose' ignition and other pliers; adjustable wrench; adjustable wire cutter and stripper; electronic technician's knife; mini-driver kit; offset ratchet screwdriver set; four-way pocket tool; screwdrivers; screwdriver hexagonal socket; nut drivers; amplifier torque handle and tool case.

**5180-01-046-4980      \$487.50(KT)**



### **Office Tool Kit**

Kit offers all-in-one convenience! A kit contains screwdriver bit set and handle with one Phillips and five flat-tip mini-drivers; slip-joint pliers with combination jaw and cutter; chain pliers with long round nose and cutter; heavy-duty straight trimmer's shears; curved claw hammer; adjustable wrench; two flat-tip screwdrivers with tip widths 0.188" and 0.313"; two Phillips screwdrivers with tip sizes 1" and 2"; smooth jaw tweezers; six-piece, L-shaped Allen wrench set (nominal sizes 0.05" to 1/8"); steel measuring tape (16" long, 3/4" wide); utility knife with retractable blade in four positions.

Equipped with a custom zipper tool case. Cooper P/N TK14GV, or equal.

**5180-01-336-7141      \$109.95 (KT)**



## Toner Cartridge Buying Guide

Are the copies from your printer becoming blurry or difficult to read? If so, it may be time for a new toner cartridge. GSA Global Supply has available products from a number of companies including Canon, Hewlett Packard and NIB. Listed below are some of our best-selling toner cartridges in stock with additional information on the machine that the toner cartridge fits.



<u>NSN</u>	<u>Maker</u>	<u>Products to Be Used With</u>	<u>Notes</u>
6850-01-416-7995	N/A	Canon Fax 5000 Series. P/N (FX-2) H11-6321-220.	
7510-01-455-6058	HP	HP LaserJet IIP and II Plus. Same as HP92275A cartridge.	May contain recycled parts/components, but certified as new by maker.
7510-01-455-6061	HP	HP LaserJet IIIsi, IIIsi/PS, 4si, and 4si/MX. Same as HP 92291A	Black
7510-01-455-6120	Canon	HP LaserJet 4L	
7510-01-455-6066	HP	HP LaserJet 4V, 4V+, and 4MV	HP Part # C3900A.
7510-01-455-6117	N/A	LaserJet 4, 4M, 4 Plus, 4 M Plus, and 5, 5M and N	
7510-01-455-6063	HP	HP LaserJet 4-ML, 4L, 4P, and 4MP	HP Part # 92274A.
7510-01-455-6062	N/A	LaserJet 4, 4M, 4 Plus, and 4 M Plus	HP Part # 92298A. May contain recycled parts/components, but certified as new by maker.
7510-01-455-6072	N/A	HP LaserJet 5P, 5MP, 6P, 6MP and 6Pxi	
7510-01-449-6942	N/A	HP LaserJet 4/4 Plus (EX Engine) EP-E	Compatible to Part # 92298A.
7510-01-455-6127	N/A	HP LaserJet 5L, 5ML, and 5/1-FS.	Canon Part # R74-7003-150.
7510-01-455-6067	HP	HP LaserJet 5L and 6L.	Black
7510-01-455-6064	N/A	HP LaserJet 5 and 5M.	HP Part # C3105A. Black.
7510-01-455-6068	HP	HP LaserJet 5si and 5si MX	HP Part # C3909A.
7510-01-333-7961	N/A	UniSys AP9210, IBM 4019, 4028, and 4029	Lexmark Part # 1380200. Black.

## Toner Cartridge Buying Guide



<u>NSN</u>	<u>Maker</u>	<u>Products to Be Used With</u>	<u>Notes</u>
6850-01-462-6749	N/A	Kodak 100, 150, 200, 220, 235, 2085	BX contains 4 EA.
7510-01-417-1220	NIB	HP LaserJet 4, 4 Plus, 4M, and 4M Plus	Infinity Part # 3220505. Prints 2.5X as many pages as HP 92298A.
7510-01-443-2121	NIB	HP LaserJet 5, 5M, 5N, 4, 4 Plus, 4M, and 4M Plus.	Infinity 5 prints 2X as many pages as HP 92298A.
7045-01-429-3695	N/A	IBM 3112 Model 001, IBM 3116 Models 001, 002, and 003.	Part # 1382100-Lexmark (IBM) Optra Laser Cartridge
7045-01-421-2361	N/A	Lexmark 403910 or Optra family of printers.	Lexmark Part # 1382150. Black.
6850-01-398-4453	N/A	Okidata Printer OL400E	
6850-01-398-2650	N/A	Okidata OL400E and OL410EPS	

To order from GSA Global Supply Call 1-800-525-8027

## GSA Offers “Biobased” Paint and Adhesive Strippers

In accordance with The Biomass Research and Development Act of 2000, Federal Agencies are required to purchase biobased products unless they can document that the biobased product is not comparable to non-biobased products in price, performance or availability. To facilitate this, USDA is developing a list of products that qualify as biobased, and GSA Global Supply is continually seeking to expand its commodity line with products containing biobased material.

Recently, GSA Global Supply began offering four new products that are made primarily from soybeans and are 100% biodegradable. These products have already proven very effective within the Department of Defense and U.S. Postal Service in removing paints, mastic, tar and a variety of other materials. One application typically does the job, there is no odor, and clean-up can be done with water.

For additional information contact:  
Customer Service at 816-926-6760

**To order from GSA Global Supply Call 1-800-525-8027**

### Soy-Strip

Capable of removing aviation and anti-fouling marine paints

8010-01-502-7343	1 quart
8010-01-502-7344	1 gallon
8010-01-502-7345	2.5 gallon
8010-01-502-7346	5 gallon
8010-01-502-7347	55 gallon

### Soy-Gel

Capable of removing paints, urethanes, and enamels

8010-01-502-9353	1 quart
8010-01-502-9354	1 gallon
8010-01-502-9355	2.5 gallon
8010-01-502-9356	5 gallon
8010-01-502-9357	55 gallon

### Bean-E-Doo

Adhesive remover

8040-01-502-9360	1 gallon
8040-01-502-9361	5 gallon
8040-01-502-9362	55 gallon

# GSA Global Supply More Than A New Name for an Old Friend

**A**t GSA Global Supply, your mission is our mission. Whether you've known us as "GSA" or "stock" or the "Customer Supply Center," our job is still making yours easier. This means moving the supplies you need to the place you need them quickly and easily.

Our goal is to be the single, reliable source for the supplies you need. Whether your office needs pens and computer accessories, or your fire crew needs tents and hoses, GSA Global Supply is there for you. We've listened to your comments and made some changes. We will soon be adding tens of thousands of new products to our system. We're connecting our ordering systems to better serve you and we are partnering with industry leaders to bring you faster delivery. We're changing much more than just our name.

When you've found the products you need, you can:

- Call us at 800-525-8027 or DSN 465-1416
- Fax an order to (800) 856-7057
- Submit your FEDSTRIP/MILSTRIP requisition
- Coming Soon! Visit our new online ordering site at [www.GSAGlobalsupply.gsa.gov/5mt](http://www.GSAGlobalsupply.gsa.gov/5mt).

To make your buying experience easier, we recently published the 2003 GSA Global Supply Catalog with over 7000 items, including 1200 new ones. To get your copy, call us at (817) 334-5215 or email your request to: [cmls@gsa.gov](mailto:cmls@gsa.gov).

