



Mission Essentials

GSA Global Supply is the source for all of your mission essential product needs.



Paintbrush ▲

Made with natural hog bristle or synthetic filament. Flat, metal-bound paint and varnish brushes come in several different grades. Grades AA and A are thicker brushes and feature superior paint loading and release. Grade B is excellent for utility painting. Grade C is suitable where a professional finish is not required and for one-time applications such as applying adhesives, cements, etc. Hog bristle brushes should be used only with solvent- or oil-based coatings. Synthetic fiber brushes may be used with solvent-, oil- or water-based coatings. Measurements for brush width, bristle length, and brush thickness are nominal. Hog bristle brush. Grade A; thickness: $1\frac{3}{16}$ " ; chiseled edge. Grade A; thickness: 1" ; Square edge.

NSN 8020-00-205-6500

Size 3"W x 3-5/16"L

Price \$6.12 (EA)

NSN 8020-00-245-4516

Size 4"W x 3¹⁵/₁₆"L

Price \$9.43 (EA)

Grade B; thickness: $\frac{1}{2}$ " ; chiseled edge.

NSN 8020-00-260-1305

Size 1 $\frac{1}{2}$ "W x 1¹³/₁₆"L

Price \$1.42 (EA)

Grade B; thickness: $\frac{7}{8}$ " ; square edge.

NSN 8020-00-178-8305

Size 4"W x 3-3/4"L

Price \$5.92 (EA)

Grade B; thickness: $\frac{7}{8}$ " ; square edge.

NSN 8020-00-597-4763

Size 2"W x 1 $\frac{1}{2}$ "L

Price \$1.14 (EA)

mission essentials




▲ **Trim Brush**

For cutting in around ceiling and trim, flat brush features a square, chisel edge and stiff hog bristles that will not twist or curl. With a flat, lacquered handle and metal ferrule. May also be used for rubber cement, varnish, and touch-up work. Thickness: $\frac{3}{8}$ ".

NSN 8020-00-262-9093
Size 1"W x 2"L
Price \$0.87 (EA)


Paint Roller Kit ▼



Suitable for use with oil- or latex-based paints. Kit contains a polyester roller cover, a metal paint tray, and a 13" hardwood or molded plastic handle threaded for attachment to an extension pole (not included). Roller slips onto a rustproof steel rod.

Roller is 7" long with a $\frac{3}{8}$ " pile height.
NSN 8020-00-597-4759
Price \$3.14 KT (Kit)


Roller is 9" long with a $\frac{3}{8}$ " pile height.
NSN 8020-00-689-5379
Price \$3.14



▼ **Sash-and-Trim Brush**

These brushes are specially designed for painting small, narrow areas on wood and metal furniture, pipes, window frames, and screens. Use hog bristle brushes only for solvent-based coatings. Synthetic bristle brushes may be used with solvent- or water-based coatings. Oval brushes have $7\frac{1}{2}$ " handles; flat brushes have 7" handles and angular, bevel-cut bristles. Hog bristle brush. Oval shape. Thickness: $\frac{13}{16}$ ".

NSN 8020-00-205-6511
Size 1"W x $2\frac{3}{8}$ "L
Price \$3.14 (EA)



▼ **Paint Roller**

For use with oil- or latex-based paints. Roller features slip-off design, a rustproof steel rod, and a 13" threaded wooden or plastic handle. If desired, roller may be used with screw-on extension handle. Comes with a polyester cover and is suited for smooth wood and plaster surfaces. Type II Class A. A-A-2851.

NSN 8020-00-753-4914
Length 7"
Price \$1.47 (EA)

NSN 8020-00-753-4915
Length 9"
Price \$1.48 (EA)

▼ **Paint Roller**

Roller is for painting small areas such as baseboards, trim, cabinet areas, and corners. With plastic handle and aluminum shaft.

NSN 8020-01-317-2800

Length 3"

Price \$1.06 (EA)



▼ **Paint Roller Cover**

For use with latex and oil based paints.

NSN 8020-01-437-6943

Length 9"

Pile Height 5/8"

Price \$0.90 (EA)



Interior Wall Paint ▼

Flat latex based paint for interior walls and ceilings. May be applied to previously painted wood, plaster, or drywall surfaces. Maximum VOC 250 g/L. MPI (Master Painters Institute) reference #138-flat. (Replaces TT-P-002119). White 37875



NSN 8010-00-598-5730

Price \$71.60 5 GL (Gallon)



Paint Thinner

For thinning synthetic alkyd paints. Does not contain benzene, ethylbenzene, chlorinated solvents, or any other hazardous air pollutants. Commercial Item Description A-A-3007.

NSN 8010-01-441-5940

Price \$10.32 1 GL (Gallon)

Ammunition Enamel ▼

Synthetic alkyd enamel is a finishing coat for phosphated or primed metal surfaces and ammunition components. Do not use on automotive equipment. Resistant to water, salt spray, and weather; not resistant to hydrocarbons. May contain lead. Dries to the touch in six minutes and dries hard to a flat finish in 10 minutes. Aerosol spray. Typical VOC: 85%.



NSN 8010-00-910-8154

Color Black 37038

Price \$2.87 1 PT (Pint)

NSN 8010-01-167-1139

Color Gray 36375

Price \$2.93 1 PT (Pint)

NSN 8010-00-848-9272

Color Olive Drab 34088

Price \$2.91 1 PT (Pint)



Traffic Paint ▼

Ready-mixed traffic paint for use on concrete, bituminous, brick, or stone surfaces of parking lots. Adheres well. Water and abrasion resistant. Add glass beads to reflectorize paint stripes. Dries to a flat finish. Applied by brush or use conventional traffic line striping equipment. Maximum VOC: 250 g/L. Master Painters Institute (MPI) Standard 32. (Formerly TT-P-115F). Slow drying. Dries to the touch in 30 minutes. Yellow 33538.

NSN 8010-00-900-3648

Price \$71.03 5 GL (Gallon)



mission essentials



◀ **Single-Component CARC Polyurethane Coating**

Use this single-component, chemical agent resistant, polyurethane coating (CARC) as a finishing coat on military combat equipment. Easily decontaminated after exposure to liquid chemical agents; coating is also resistant to water, weather, hydrocarbons, and acids. Dries to the touch in 30 minutes and dries hard to a flat finish in three hours. Apply over epoxy primers by spray or brush. Maximum VOC: 420 g/L. Conforms to MIL-C-53039.

NSN 8010-01-229-7540
Color Black 37030
Price \$11.95 1 QT (Quart)

NSN 8010-01-229-7544
Color Brown 383, 30051
Price \$47.88 1 GL (Gallon)

NSN 8010-01-229-7546
Color Green 383, 34094
Price \$14.65 1 QT (Quart)

Welder's Hammer

Hammer has a forged steel chipping head and hardened edges. Use for chipping welds and welding slag. Has a straight 5/8" peen with double bevels on one end and a 7/8" x 4 1/2" wire brush on the other end. Replaceable brush, made of medium-hard steel wire, brushes dirt from welds. Includes a coiled or forged steel handle and two extra brushes. Welder's hammer brush with 2 extra brushes. Head type: Chisel.

NSN 5120-00-240-3096
Length 10 1/2"
Price \$13.37 (EA)



San Diego, California
May 3, 4 & 5, 2005 San Diego Convention Center


See you next year May 3, 4 & 5th at EXPO 2005
in San Diego, California!

▼ **Special Crowfoot Wrench**

For installing and removing the ignition wiring harness nut on an internal combustion engine. Specialized wrench has L-shaped solid bar handle with a 12-point open box end that is offset 90° and a 3⁵/₁₆" grab handle grip at the butt end. Forged steel. Opening: 3/4"; head thickness: 5⁷/₆₄". Overall Length: 10".

NSN 5120-00-795-0895

Price \$19.92 (EA)



▶ **Open-End Wrench (Double-Head)**

Engineer's style, chromium-plated, double-headed wrench has 15 degree angle on both ends. ASME B107.9M. Openings: 27 and 30 mm.

NSN 5120-01-102-5974

Price \$12.78 (EA)



▼ **Intrenching Tool**

The tool is capable of being used as a shovel when fully extended and as a pick when the shovel blade is locked in position at a 90 degree angle. Hinged shovel, D-type hand grip, one serrated cutting blade edge, one axe-blade edge, aluminum handle. The blade and handle can be locked into open or closed positions. Folds to 9 1/2" for storage.

NSN 5120-00-878-5932

Length 23 1/2"

Price \$41.19 (EA)



▲ **Socket Wrench Set**

Save time with the convenience of a socket set. Sixty-seven-piece nickel chromium-plated components furnished in a well-constructed sheet metal or impact resistant plastic box. The set consists of ANSI approved tools. Includes: hexagon sockets, square sockets, one reversible ratchet handle, one speeder handle, brace type, one handle, socket wrench, spin type, A-A-2167. one handle, socket wrench, tee, sliding, one universal joint attachment, socket wrench, four extension bar attachments, solid, socket wrench, one extension bar attachment, flexible, socket wrench. Overall length 6". One ratchet adapter attachment, socket wrench. Two single hexagon (6-point) socket, socket wrenches. Sizes 9/16" and 3/4". Six (6) socket, socket wrenches, universal, double hexagon (12-point). Nine (9) socket, socket wrench attachment, internal (socket head set and cap screw). Screwdriver bits and adapters: three Phillips screwdriver bits. Three screwdriver bits, flat tip. Bit widths 3/16", 1/4" and 3/8". One handle, spin type, with screwdriver grip, a flexible 1/4" diameter steel shank with a 1/4" male end. Handle length 4" maximum. One ratchet spinner designed for use as a spinner or with a ratchet handle. One wrench, flexible, adjusting, consists of a shaft in a tubular housing, 1/4" male drive on wrench-end, knurled spinner handle on opposite end of shaft, wrench-end of housing shall be flexible for a length of 3 1/2" minimum, overall length 21" maximum.

NSN 5120-00-087-1022

Price \$723.86 KT (Kit)



▲ **Box Wrench**

Double-headed wrench is 12-point style and chromium plated. ASME B107.9M. Has a modified offset at each end and is short length.

Openings: 9 and 10mm.

NSN 5120-01-113-9561

Price \$7.61 (EA)

Openings: 15 and 16mm

NSN 5120-01-118-4063

Price \$9.18 (EA)

Box Wrench Set ▼

Find the wrench you need, when you need it. Double-headed, 12-point wrenches have a deep offset at each end. Sizes are clearly marked. Wrenches furnished in a roll or wrap. ASME B107.9M set consists of eight short-length wrenches in the following sizes: 6 and 7, 8 and 9, 9 and 10, 11 and 12, 13 and 14, 15 and 16, 17 and 19 and 18 and 20mm.

NSN 5120-00-103-9782

Price \$55.28 SE (Set)



Special Clearance Offer

◀ **This is a shredder with attitude.**

It can chew through 41 feet of paper per minute, chomping it into really little (1/25" x 1/5") pieces of confetti—approved for DOD use. Ideal for an office with 6-10 users, you won't consider it just a coworker; you'll call it a friend.

High security office shredder with an attractive compact console. Extra-fine confetti cut provides high security document destruction that meets DOD standards. 1/25" x 1/5" confetti cut with a powerful 0.9 HP motor cuts 3-5 sheets of paper per pass. Shreds up to 41 feet per minute (12.5 mpm) and features a wide 10" entry and a 19-gallon waste container capacity. Features electronic auto start/stop for ease of operation. Includes a two-year full warranty on shredder, five years on cutters.

NSN 7490-01-395-3355

Originally \$1063.26

Now only \$963.00 (EA)

Save \$100!

See something new on the market?
Email your requests or suggestions to
GSAglobalsupply@gsa.gov or call
customer service at (800) 525-8027



Synonymous with Employee Assistance Programs for Federal Agencies

COMPREHENSIVE EAP

EXTENSIVE WORK/LIFE PROGRAM

INNOVATIVE ON-LINE SERVICES

EAP Consultants, Inc. has been providing quality employee assistance programs to over 40 Federal agencies since 1989. We are a recipient of the "Administrator's Award for Excellence" by the U. S. Small Business Administration. Join the long list of Federal agencies that have benefited from the professionalism, experience and dedication of the EAP Consultants' team.



EAP Consultants, Inc.
 Contract # GS-02F-0037P
 Schedule # 738X
 SIN # 595-21



SALES@EAPCONSULTANTS.COM

800-522-1073

WWW.EAPCONSULTANTS.COM