

**TABLE 12****PICKUP, FULL SIZE, REGULAR CAB, 4 X 2**

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors

**Item # 41**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>FORD F150 HERITAGE</b>	<b>GM SILVERADO C1500</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR1L62	F17	CC15903
PAYLOAD min. kg. (lbs.)	799 (1761)	1761	1842	2000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2743 (6050) / 2970 (6550)	6550	6050	6400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min.	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 3.7	6/3.7	6/4.2	6/4.3
HORSEPOWER (min)	200	215	202	200
TORQUE (ft.-lb.)	235	235	252	260
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	Rear	rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular/Mfg. std.	3.55	3.31	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	540	700	540	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	30	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm/clock/cassette	AM/FM w/Clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/60	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16	17	16	16
TIRES	P235/R/AS	P245/R/AS	P235/R/AS	P255/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 2****Item # 41 - OPTIONAL EQUIPMENT**

<b>BODY/CHASSIS</b>		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
		<b>RAM PICKUP 1500</b>	<b>F150 HERITAGE</b>	<b>SILVERADO C1500</b>
L6	SHORT BED PICKUP BODY	Available	Available	Available
<b>ENGINES</b>				
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Available 8/4.7,235,295	Available 8/4.6,231,293	Available 8/4.8,270,285
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Available 8/5.7,345,375	Available 8/5.4,300,365	Available 8/5.3,285,325
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	Available	N/A	Available
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	Available	Available
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	N/A	Available
RB	RUNNING BOARDS	N/A	Available	N/A
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available	Available
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	Available
SK	METRIC ODOMETER	Available	Available	N/A
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available	Std
<b>SAFETY</b>				
SIAB	SIDE IMPACT AIR BAGS	Available	N/A	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	N/A	N/A
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****249**

**TABLE 12 - CONTINUED****4X2 PICKUP, FULL SZ, EXT CAB, MIN 6000LBS GVWR, HYBRID ELECTRIC**

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 2 doors and 2 windows on each side.

**Item # 41H**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>GM C1500</b>
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CC15753
PAYLOAD min. kg. (lbs.)	447 (985)	985
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3401 (7500)	6200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.0 (6.5) min	6.5
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8 / 5.3	8/5.3
HORSEPOWER (min)	285	285
TORQUE (ft.-lb.)	325	325
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
<b>DRIVE AXLE</b>		
TOWING/MOUNTAIN RATIO		comply
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	98 (26)	26
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>INTERIOR</b>		
AIR CONDITIONING	REQ	comply
RADIO	AM/FM w/ Clock	AM/FM w clock
POWER STEERING	REQ	comply
CLOTH UPHOLSTERY	REQ	cloth
<b>SEATS</b>		
RECLINING BUCKET/CAPTAINS CHAIRS	REQ	comply
SEATING CAPACITY min.	5	5
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16	16
TIRES	P235/R/AS	P235/R/AS
<b>TOWING</b>		
REAR BUMPER	Step Type w/ RH2 provision	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

250

**Federal Standard Number 307AG**

**TABLE 12 - CONTINUED****4X2 PICKUP, FULL SZ, EXT CAB, MIN  
6000LBS GVWR, HYBRID ELECTRIC****Item # 41H - OPTIONAL EQUIPMENT**

		<b>GM</b>
		<b>C1500</b>
<b>ALTERNATIVE FUEL ENGINES</b>		
HEV	HYBRID ELECTRIC VEHICLE	Std
<b>ENGINE OPTIONS</b>		
EH	ENGINE BLOCK HEATER	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
<b>EXTERIOR</b>		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Available
<b>DOORS AND WINDOWS</b>		
RKE	REMOTE KEYLESS ENTRY	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
<b>FLOOR</b>		
CM	CARPETED FLOOR COVERING	Available
<b>INTERIOR</b>		
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	N/A
<b>RADIO</b>		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
<b>RECEIVER HITCH</b>		
RH3	OEM DRAW BAR RECEIVER CLASS III	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 2

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 42

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150 ALL NEW	GM SILVERADO C2500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F12	CC25903 HD
PAYLOAD min. kg. (lbs.)	1315 (2900)	2900	3150
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3493 (7700) / 3855 (8500)	8200	8500
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.8 (6) min.	8	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	280	300	280
TORQUE (ft.-lb.)	335	365	335
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
TOWING/MOUNTAIN RATIO		comply	comply
PRIMARY DRIVE AXLE	Rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular/Mfg. std.	4.10	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	110	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	106 (28)	28	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	4	2
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm/clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
UPHOLSTERY	Cloth	cloth	comply
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

252

### Federal Standard Number 307AG

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 2****Item # 42 - OPTIONAL EQUIPMENT**

		<b>FORD F150 ALL NEW</b>	<b>GM SILVERADO C2500</b>
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	Available	Std
LPG2	BI-FUEL (LPG AND GASOLINE)	Available	N/A
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Std	Std
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	N/A	Available
RB	RUNNING BOARDS	Available	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available
BF	SOLID BENCH FRONT SEAT	N/A	Std
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	N/A
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****253**

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 2

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 44

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM SILVERADO C2500</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR2L62	F20	CC25903
PAYLOAD min. kg. (lbs.)	1467 (3234)	3376	3234	3600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8600) / 4082 (9000)	8650	8800	8600
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	345	260	300
TORQUE (ft.-lb.)	350	375	350	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73	3.73
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	750	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm w/ clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16	17	16	16
TIRES	LT235/R/AS	LT245/R/AS	LT235/R/AS	LT245/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 2****Item # 44 - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
		<b>RAM PICKUP 2500</b>	<b>F250</b>	<b>SILVERADO C2500</b>
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Available	N/A
	Eng-Cyl/HP/Torque	N/A,N/A,N/A	10/6.8,310,425	„
YD	DIESEL ENGINE	Available	Available	N/A
	Eng-Cyl/HP/Torque	6/5.9,305,555	8/6.0,325,560	„
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available	N/A
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available	Available
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available	Available
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available	N/A
<b>TIRES AND WHEELS</b>				
AT	ALL TERRAIN TIRES	N/A	Available	Available
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	N/A
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****255**

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 2

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 44B

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
<b>BODY/CHASSIS</b>		<b>F350</b>	<b>SILVERADO C2500 HD</b>
MFG. MODEL CODE		F30	CC25903 HD
PAYLOAD min. kg. (lbs.)	1848 (4074)	4334	4074
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4172 (9200) / 4491 (9900)	9900	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft. -lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	swail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/ washes	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm w/ clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	16	16
TIRES	Lt245/R/AS	LT265/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 2****Item # 44B - OPTIONAL EQUIPMENT**

		<b>FORD F350</b>	<b>GM SILVERADO C2500 HD</b>
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,310,425	Available 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,560	Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Available	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	N/A
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****257**

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 2

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 44A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		DR3L62	F32
PAYLOAD min. kg. (lbs.)	2348 (5176)	5176	5434
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4,988 (11,000) / 5,668 (12,500)	11,000	11,200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8) min	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4
HORSEPOWER (min)	260	330	260
TORQUE (ft. -lb.)	350	375	350
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.10	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	130	136	130
BATTERY min. (CCA)	750	750	750
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	132 (35)	35	38
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm w/ clock
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/dual rear	17	16
TIRES	LT235/R/AS	LT235/R/AS	LT235/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH1 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 2****Item # 44A - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Available 10/6.8,310,425
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 6/5.9,305,555	Available 8/6.0,325,560
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	Std	N/A
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Std	Available
<b>EXTERIOR</b>			
BL	BED LINER	Available	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Std	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	N/A	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A

**Federal Standard Number 307AG****259**

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 4

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 46

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 1500	FORD F150 HERITAGE	GM SILVERADO K1500
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DL6L62	F18	CK15903
PAYLOAD min. kg. (lbs.)	635 (1399)	1440	1399	1800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3401 (7500)	6550	6050	6400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 4.2	8/4.7	6/4.2	6/4.3
HORSEPOWER (min)	200	235	202	200
TORQUE (ft.-lb.)	252	300	252	260
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
TRANSFER CASE	2-Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular /Mfg. std.	3.92	3.55	3.73
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	540	700	540	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	30	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	swail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm/clock/cassette	AM/FM w/Clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/60	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 min.	17	16	16
TIRES	P255/R - LT245/R/AT	P265/R/00	P255/R/AT	LT245/R/00
<b>TOWING</b>				
FRONT TOW HOOKS	REQ	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 4****Item # 46 - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>RAM PICKUP 1500</b>	<b>F150 HERITAGE</b>	<b>SILVERADO K1500</b>
L6	SHORT BED PICKUP BODY	Available	Available	Available
<b>ENGINES</b>				
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	N/A	Available 8/4.6,202,252	Available 8/4.8,270,285
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Available 8/5.7,345,375	Available 8/5.4,300,365	Available 8/5.3,285,325
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	Available	N/A	Available
<b>ENGINE OPTIONS</b>				
EH EHM	ENGINE BLOCK HEATER ENGINE HOUR METER	Available Std	Available N/A	Available Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	Available	Available
<b>DRIVE AXLE</b>				
D3 D7	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Available Std	Available N/A	Available Available
<b>EXTERIOR</b>				
BL RM RB	BED LINER EXTRA WIDE MIRRORS, CAMPER TYPE RUNNING BOARDS	Available Available N/A	N/A N/A Available	N/A Available N/A
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available	Available
<b>DOORS AND WINDOWS</b>				
RKE SRG PWL	REMOTE KEYLESS ENTRY SLIDING REAR WINDOW POWER WINDOWS & DOOR LOCKS	Available Available Available	Available Available Available	Available Available Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP CRTS DA SK VU	ADJUSTABLE OPERATING PEDALS CRUISE CONTROL AND TILT STEERING DELETE AIR CONDITIONING METRIC ODOMETER VINYL UPHOLSTERY, FRONT AND REAR	Available Available N/A Available Available	Available Available Available Available Available	N/A Available Available Available Available
<b>RADIO</b>				
RACS RAD	AM/FM RADIO WITH CASSETTE PLAYER AM/FM RADIO WITH COMPACT DISC PLAYER	Std Available	Std Available	Available Available
<b>SEATS</b>				
RS BF	RECLINING BUCKET/CAPTAINS CHAIRS SOLID BENCH FRONT SEAT	N/A N/A	Available Available	Available N/A
<b>TIRES AND WHEELS</b>				
LT	LIGHT TRUCK TIRES	Available	Available	Std
<b>RECEIVER HITCH</b>				
RH3 RH4	OEM DRAW BAR RECEIVER CLASS III OEM DRAW BAR RECEIVER CLASS IV	Available Available	Available N/A	Available Available
<b>DELIVERY</b>				
CNS DDRG DDRH DDRP	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP) DEALER DELIVERY GUAM DEALER DELIVERY HAWAII DEALER DELIVERY PUERTO RICO	Available Available Available Available	Available Available Available Available	Available N/A Available Available
<b>MISCELLANEOUS</b>				
MIL PSM PSME	DATA PLATES OR DD250 PARTS AND SERVICE MANUALS PARTS AND SERVICE MANUALS -- ELECTRONIC	Available Available Available	Available Available N/A	Available Available Available

**Federal Standard Number 307AG****261**

**TABLE 12 - CONTINUED****4X4 PICKUP, FULL SZ, EXT CAB, MIN 6250LBS GVWR, HYBRID ELECTRIC**

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

**Item # 46H**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>C1500</b>
MFG. MODEL CODE		CK15753
PAYLOAD min. kg. (lbs.)	544/1200	1200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2834 (6250) / 3401 (7500)	6400
PICKUP BED, LOAD LENGTH min. m. (ft.)	2.0 (6.5)	6.5
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8/5.3	8/5.3
HORSEPOWER (min)	285	285@5200
TORQUE (ft.-lb.)	325	325@4000
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 speed	4 speed
TRANSFER CASE	2 speed	comply
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	98 (26)	26
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Sail mount foldaway	comply
SKID PLATE	Req	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/ washe	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>INTERIOR</b>		
AIR CONDITIONING	REQ	comply
RADIO	AM/FM w/Clock	AM/FM w/Clock
CLOTH UPHOLSTERY	REQ	comply
<b>SEATS</b>		
RECLINING BUCKET/CAPTAINS CHAIRS	REQ	comply
SEATING CAPACITY min.	5	5
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM	REQ	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	16	16
TIRES	LT245R/00	LT245R/00
<b>TOWING</b>		
FRONT TOW HOOKS		comply
REAR BUMPER	Step Type w/ RH2 provision	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

**TABLE 12 - CONTINUED****4X4 PICKUP, FULL SZ, EXT CAB, MIN  
6250LBS GVWR, HYBRID ELECTRIC****Item # 46H - OPTIONAL EQUIPMENT**

		<b>GM C1500</b>
<b>ALTERNATIVE FUEL ENGINES</b>		
HEV	HYBRID ELECTRIC VEHICLE	Std
<b>ENGINE OPTIONS</b>		
EH	ENGINE BLOCK HEATER	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>EXTERIOR</b>		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Available
<b>DOORS AND WINDOWS</b>		
RKE	REMOTE KEYLESS ENTRY	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
<b>FLOOR</b>		
CM	CARPETED FLOOR COVERING	Available
<b>INTERIOR</b>		
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	N/A
<b>RADIO</b>		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
<b>RECEIVER HITCH</b>		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 4

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 47

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150 ALL NEW	GM SILVERADO K2500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		F14	CK25903 HD
PAYLOAD min. kg. (lbs.)	1177 (2596)	2596	3000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3492 (7700) / 3855 (8500)	8200	8500
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.8 (6)	8	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	280	300	280
TORQUE (ft.-lb.)	335	365	335
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2-Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.10	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	110	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	106 (28)	28	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	4	2
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm/clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	17	16
TIRES	LT245/R/AT	LT245/R/AS	LT245/R/00
<b>TOWING</b>			
FRONT TOW HOOKS		comply	comply
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 4

#### Item # 47 - OPTIONAL EQUIPMENT

		<b>FORD</b>	<b>GM</b>
		<b>F150 ALL NEW</b>	<b>SILVERADO K2500</b>
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	Available	Std
LPG2	BI-FUEL (LPG AND GASOLINE)	Available	N/A
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Std	Available
<b>EXTERIOR</b>			
RB	RUNNING BOARDS	Available	N/A
SZ	SNOWPLOW PREP PACKAGE	Available	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 4**

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

**Item # 49**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM K2500 HD</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR7L62	F21	CK25903 HD
PAYLOAD min. kg. (lbs.)	1256 (2770)	2916	2770	3750
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8600) / 4173 (9200)	8650	8800	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	345	260	300
TORQUE (ft.-lb.)	350	375	350	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73	4.10
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	750	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm w/ clock	AM/FM stereo w clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 min.	17	16	16
TIRES	LT235/R/AS	LT245/R/AS	LT235/R/AT	LT245/R/00
<b>TOWING</b>				
FRONT TOW HOOKS		comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 4****Item # 49 - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM K2500 HD</b>
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A	Available	Available
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	N/A,N/A,N/A Available 6/5.9,305,555	10/6.8,310,425 Available 8/6.0,325,560	8/8.1,330,450 Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available	Available
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available	Available
RB	RUNNING BOARDS	N/A	Available	N/A
SZ	SNOWPLOW PREP PACKAGE	Available	Available	Available
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available	Available
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****267**

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 4

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 49B

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
<b>BODY/CHASSIS</b>		<b>F350</b>	<b>K3500</b>
MFG. MODEL CODE		F31	CK35903
PAYLOAD min. kg. (lbs.)	1760 (3879)	3879	4100
GROSS VEHICLE WEIGHT RATING			
min./max. kg (lbs.)	4172 (9200) / 4490 (9900)	9900	9900
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft. -lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	2	2	2
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm w/ clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AT	LT265/R/AT	LT265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 4

#### Item # 49B - OPTIONAL EQUIPMENT

		<b>FORD</b>	<b>GM</b>
<b>ENGINES</b>		<b>F350</b>	<b>K3500</b>
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	10/6.8,310,425 Available 8/6.0,325,560	8/8.1,330,450 Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>ELECTRICAL</b>			
MCTE	ON BOARD 5000 WATT ELECTRICAL SYS,	N/A	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
FPUC	FIBER GLASS PICKUP CAP, REQUIRES MCT	N/A	Available
MWW	REMOVABLE WINCH, REQUIRES MCT	N/A	Available
SZ	SNOWPLOW PREP PACKAGE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	Available
SK	METRIC ODOMETER	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
<b>SUSPENSION</b>			
MCTL	MILITARY PACKAGE, OFF ROAD EXTENDED	N/A	Available
MCT	OFF ROAD EXTENDED DUTY PKG, REQUIRED	N/A	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available



**Federal Standard Number 307AG**

**269**

## TABLE 12 - CONTINUED

### PICKUP, FULL SIZE, REGULAR CAB, 4 X 4

A full size pickup with a regular cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets, and tailgate with stays. The flush side pickup body shall have the bed sides even with cab doors (except dual wheel vehicles, where extensions fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 2 doors.

#### Item # 49A

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 3500	FORD F350	GM K3500
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR8L62	F33	CK35903
PAYLOAD min. kg. (lbs.)	2218 (4889)	5188	4889	5500
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4763 (10,500) / 5,668 (12,500)	11,500	11,200	11400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	330	260	300
TORQUE (ft. -lb.)	350	375	350	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.10	3.73	4.10
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	750	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	2	2	2	2
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm w/ clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	3	3	3	3
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 w/dual rear	17	16	16
TIRES	LT215/R/AT	LT235/R/ O/O	LT235/R/AT	LT215/85R/00
<b>TOWING</b>				
FRONT TOW HOOKS		comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

270

### Federal Standard Number 307AG

**TABLE 12 - CONTINUED****PICKUP, FULL SIZE, REGULAR CAB, 4 X 4****Item # 49A - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER RAM PICKUP 3500</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Available 10/6.8,310,425	Available 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 6/5.9,305,555	Available 8/6.0,325,560	Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available	Available
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Std	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available	Available
SZ	SNOWPLOW PREP PACKAGE	Available	Available	Available
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
<b>DOORS AND WINDOWS</b>				
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**TABLE 13****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2**

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

**Item # 41C**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER RAM PICKUP 1500</b>	<b>FORD F150 HERITAGE</b>	<b>GM SILVERADO C1500</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR1L42	X17	CC15953
PAYLOAD min. kg. (lbs.)	650 (1434)	1471	1434	1700
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3401 (7500)	6650	6050	6400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8.0) min	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.7	8/4.6	8/4.8
HORSEPOWER (min)	231	235	231	270
TORQUE (ft.-lb.)	285	295	293	285
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.08	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	540	700	540	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	30	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm/clock/cassette	am/fm w/clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/60	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16	17	16	16
TIRES	P235/R/AS	P245/R/AS	P235/R/AS	P255/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

272

**Federal Standard Number 307AG**

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2****Item # 41C - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>RAM PICKUP 1500</b>	<b>F150 HERITAGE</b>	<b>SILVERADO C1500</b>
L6	SHORT BED PICKUP BODY	Available	Available	Available
<b>ENGINES</b>				
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Available 8/5.7,345,375	Available 8/5.4,300,365	Available 8/5.3,285,325
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	Available	N/A	Available
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	Available	N/A
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	N/A	Available
RB	RUNNING BOARDS	N/A	Available	N/A
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available	Available
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	N/A
SK	METRIC ODOMETER	Available	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available	N/A
<b>SAFETY</b>				
SIAB	SIDE IMPACT AIR BAGS	Available	N/A	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	N/A	N/A
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****273**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bedsides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 42C

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150 ALL NEW	GM SILVERADO C2500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X12	CC25953 HD
PAYLOAD min. kg. (lbs.)	1202 (2650)	2650	3000 lbs
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3492 (7700) / 3855 (8500)	8200	8500
PICKUP BED, LOAD LENGTH min. m.(ft.)	6	8.0	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	280	300	280
TORQUE (ft.-lb.)	335	365	335
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
TOWING/MOUNTAIN RATIO	REQ	comply	comply
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.10	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	110	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	106 (28)	28	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm/clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	cloth
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2

#### Item # 42C - OPTIONAL EQUIPMENT

		<b>FORD F150 ALL NEW</b>	<b>GM SILVERADO C2500</b>
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	Available	Std
LPG2	BI-FUEL (LPG AND GASOLINE)	Available	N/A
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	N/A	Available
RB	RUNNING BOARDS	Available	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	N/A	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available



**Federal Standard Number 307AG**

**275**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 44C

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 2500	FORD F250
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		DR2L42	X20
PAYLOAD min. kg. (lbs.)	1325 (2921)	3176	2921
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8600) / 4081 (9000)	8800	8800
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4
HORSEPOWER (min)	260	345	260
TORQUE (ft.-lb.)	350	375	350
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	130	136	130
BATTERY min. (CCA)	750	750	750
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	132 (35)	35	38
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm cassette w/clock	am/fm w/ clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	LT235/R/AS	LT245/R/AS	LT235/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH1 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

276

### Federal Standard Number 307AG

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2****Item # 44C - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>
<b>BODY/CHASSIS</b>		<b>RAM PICKUP 2500</b>	<b>F250</b>
L6	SHORT BED PICKUP BODY	Available	Available
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Available 10/6.8 ,310,425
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 6/5.9,305,555	Available 8/6.0,325,560
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	Std	N/A
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
BL	BED LINER	Available	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available
SK	METRIC ODOMETER	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	N/A	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A

**Federal Standard Number 307AG****277**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 44E

GSA COMPONENTS	GSA. MIN. REQ.	FORD F350	GM SILVERADO C2500 HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X30	CC25953 HD
PAYLOAD min. kg. (lbs.)	1633 (3600)	4080	3600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4172 (9200) / 4490 (9900)	9900	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/ Clock	am/fm w/ clock	AM/FM w/Clock
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AS	LT265/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2****Item # 44E - OPTIONAL EQUIPMENT**

		<b>FORD F350</b>	<b>GM SILVERADO C2500 HD</b>
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Available	Available
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,310,425	Available 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,560	Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Available	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****279**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 44D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 3500	FORD F350	GM C3500
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR3L42	X32	CC35953
PAYLOAD min. kg. (lbs.)	2180 (4806)	4806	5021	5200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4,763 (10,500) / 5,668 (12,500)	11,000	11,200	11400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	330	260	300
TORQUE (ft.-lb.)	350	375	350	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 speed	5 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. reg.	4.10	3.73	4.10
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	750	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	128 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
WINDSHIELD WIPERS	Intermittent & multi speedw/washers	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/Clock	AM/FM cassette w/Clock	AM/FM w/Clock	am/fm w/clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16 w/dual rear	17	16	16
TIRES	LT215/R/AS w/Dual rear	LT235/R/AS	LT215/R/AS	LT215/R/AS
<b>TOWING</b>				
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 2****Item # 44D - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
		<b>RAM PICKUP 3500</b>	<b>F350</b>	<b>C3500</b>
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Available	Available
	Eng-Cyl/HP/Torque	N/A,N/A,N/A	10/6.8,310,425	8/8.1,330,450
YD	DIESEL ENGINE	Available	Available	Available
	Eng-Cyl/HP/Torque	6/5.9,305,555	8/6.0,325,560	8/6.6,300,520
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available	Available
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Std	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available	Available
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
<b>DOORS AND WINDOWS</b>				
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	N/A
SK	METRIC ODOMETER	Available	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available	N/A
<b>TIRES AND WHEELS</b>				
AT	ALL TERRAIN TIRES	N/A	Available	Available
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****281**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 46C

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 1500	FORD F150 HERITAGE	GM SILVERADO K1500
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR6L42	X18	CK15953
PAYLOAD min. kg. (lbs.)	537 (1184)	1328	1184	1300
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2834 (6250) / 3401 (7500)	6800	6250	6400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 4.6	8/4.7	8/4.6	8/4.8
HORSEPOWER (min)	231	235	231	270
TORQUE (ft.-lb.)	285	300	293	285
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.92	3.31	3.73
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	540	700	540	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	113 (30)	35	30	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/ washe	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/Clock	am/fm cassette w/clock	am/fm/clock/cassette	AM/FM w/Clock
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/60	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16	17	16	16
TIRES	P255R - LT245R/AT	P265/R/00	P255/R/AT	LT245/R/00
<b>TOWING</b>				
FRONT TOW HOOKS	REQ	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

282

### Federal Standard Number 307AG

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4****Item # 46C - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>RAM PICKUP 1500</b>	<b>F150 HERITAGE</b>	<b>SILVERADO K1500</b>
L6	SHORT BED PICKUP BODY	Available	Available	Available
<b>ENGINES</b>				
E4	UPGRADED ADDITIONAL POWER 8 CYLINDE Eng-Cyl/HP/Torque	Available 8/5.7,345,375	Available 8/5.4,300,365	Available 8/5.3,285,320
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	Available	N/A	Available
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	Available	N/A
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Std	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	N/A	Available
RB	RUNNING BOARDS	N/A	Available	N/A
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available	Available
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	N/A
SK	METRIC ODOMETER	Available	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Std	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
<b>TIRES AND WHEELS</b>				
LT	LIGHT TRUCK TIRES	Available	Available	Std
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	N/A	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****283**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 47C

GSA COMPONENTS	GSA. MIN. REQ.	FORD F150 ALL NEW	GM SILVERADO K2500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X14	CK25953 HD
PAYLOAD min. kg. (lbs.)	1064 (2346)	2346	2700
GROSS VEHICLE WEIGHT RATING			
min./max. kg (lbs.)	3,492 (7,700) / 3900 (8600)	8200	8500
PICKUP BED, LOAD LENGTH min. m.(ft.)	6.0	8.0	6
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	300	300	300
TORQUE (ft.-lb.)	360	365	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
TOWING/MOUNTAIN RATIO	REQ	comply	comply
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.10	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	110	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	129 (34)	35	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/ wash	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/Clock	am/fm/clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	17	16
TIRES	LT245R/AT	LT245R/AS	LT245R/00
<b>TOWING</b>			
FRONT TOW HOOKS		comply	comply
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4

#### Item # 47C - OPTIONAL EQUIPMENT

		<b>FORD F150 ALL NEW</b>	<b>GM SILVERADO K2500</b>
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	Available	Std
LPG2	BI-FUEL (LPG AND GASOLINE)	Available	N/A
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	N/A	Available
RB	RUNNING BOARDS	Available	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
SK	METRIC ODOMETER	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available



**Federal Standard Number 307AG**

**285**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 49C

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 2500	FORD F250	GM K2500 HD
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR7L42	X21	CK25953
PAYLOAD min. kg. (lbs.)	1171 (2582)	2720	2582	3500
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3,900 (8,600) / 4,173 (9,200)	8800	8800	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8 / 5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	345	260	300
TORQUE (ft.-lb.)	350	375	350	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73	4.10
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	750	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	110 (29)	34	29	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/ washer	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/Clock	am/fm cassette w/clock	am/fm w/ clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16	17	16	16
TIRES	LT235R/AT	LT245/R/00	LT235/R/AT	LT245/R/00
<b>TOWING</b>				
FRONT TOW HOOKS		comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4****Item # 49C - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER RAM PICKUP 2500</b>	<b>FORD F250</b>	<b>GM K2500 HD</b>
<b>BODY/CHASSIS</b>				
L6	SHORT BED PICKUP BODY	Available	Available	Available
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cy/HP/Torque	N/A N/A,N/A,N/A	Available 10/6.8,310,425	Available 8/1,330,450
YD	DIESEL ENGINE Eng-Cy/HP/Torque	Available 6/5.9,305,555	Available 8/6.0,325,560	Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available	Available
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available	Available
RB	RUNNING BOARDS	N/A	Available	N/A
SZ	SNOWFLOW PREP PACKAGE	Available	Available	Available
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available	Available
<b>DOORS AND WINDOWS</b>				
RKE	REMOTE KEYLESS ENTRY	Available	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	N/A
SK	METRIC ODOMETER	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****287**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 49E

GSA COMPONENTS	GSA. MIN. REQ.	FORD	GM
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		X31	CK35953
PAYLOAD min. kg. (lbs.)	1588 (3500)	3608	3650
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4173 (9200) / 4490 (9900)	9900	9900
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/ washe	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/Clock	am/fm w/ clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	16	16
TIRES	LT245R/AT	LT265/R/AT	LT265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	Comply
REAR BUMPER	Step Type w/ RH2 provision	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4****Item # 49E - OPTIONAL EQUIPMENT**

<b>BODY/CHASSIS</b>		<b>FORD F350</b>	<b>GM K3500</b>
L6	SHORT BED PICKUP BODY	Available	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Available	Available
YD	Eng-Cyl/HP/Torque DIESEL ENGINE	10/6.8,310,425 Available	8/8.1,330,450 Available
	Eng-Cyl/HP/Torque	8/6.0,325,560	8/6.6,300,520
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>ELECTRICAL</b>			
MCTE	ON BOARD 5000 WATT ELECTRICAL SYS,	N/A	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
FPUC	FIBER GLASS PICKUP CAP, REQUIRES MCT	N/A	Available
MWW	REMOVABLE WINCH,REQUIRES MCT	N/A	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
<b>SUSPENSION</b>			
MCTL	MILITARY PACKAGE, OFF ROAD EXTENDED	N/A	Available
MCT	OFF ROAD EXTENDED DUTY PKG, REQUIRED	N/A	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****289**

## TABLE 13 - CONTINUED

### PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4

A full size pickup with an extended cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have a minimum of 4 doors and 2 windows on each side.

#### Item # 49D

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER RAM PICKUP 3500	FORD F350	GM K3500
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		DR8L42	X33	CK35953
PAYLOAD min. kg. (lbs.)	2082 (4590)	4826	4590	5000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4,988 (11,000) / 5,668 (12,500)	11,500	11,200	11400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8	8
BODY STYLE	Smooth Side	comply	comply	comply
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.7	8/5.4	8/6.0
HORSEPOWER (min)	260	330	260	300
TORQUE (ft.-lb.)	350	375	350	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed	2-speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	REAR	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.10	3.73	4.10
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	750	750	600
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	129 (34)	35	38	34
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply	comply
SKID PLATE	Req	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
DOORS	4	4	4	4
KEYED DOOR LOCKS		left and right	left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/ washer	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	REQ	comply	comply	comply
RADIO	AM/FM w/Clock	am/fm cassette w/clock	am/fm w/ clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY min.	6	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40	40/20/40
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic	automatic
WHEEL DIAMETER	16 w/dual rear	17	16	16
TIRES	LT215/R/AT	LT235/R/00	LT235/R/AT	LT215/85R/00
<b>TOWING</b>				
FRONT TOW HOOKS	REQ	comply	comply	comply
REAR BUMPER	Step Type w/ RH1 provision	comply	comply	comply
<b>WARRANTY</b>				
MFG. STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

**TABLE 13 - CONTINUED****PICKUP, FULL SIZE, EXTENDED CAB, 4 X 4****Item # 49D - OPTIONAL EQUIPMENT**

		<b>DAIMLERCHRYSLER</b>	<b>FORD</b>	<b>GM</b>
		<b>RAM PICKUP 3500</b>	<b>F350</b>	<b>K3500</b>
<b>ENGINES</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Available	Available
	Eng-Cyl/HP/Torque	N/A,N/A,N/A	10/6.8,310,425	8/8.1,330,450
YD	DIESEL ENGINE	Available	Available	Available
	Eng-Cyl/HP/Torque	6/5.9,305,555	8/6.0,325,560	8/6.6,300,520
<b>ENGINE OPTIONS</b>				
EH	ENGINE BLOCK HEATER	Available	Available	Available
EHM	ENGINE HOUR METER	Std	N/A	Std
<b>TRANSMISSION</b>				
T5	5 SPEED MANUAL TRANSMISSION	Available	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available	Available
PT	POWER TAKE OFF OPENING	Available	Available	Available
<b>DRIVE AXLE</b>				
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Std	Available	Available
<b>EXTERIOR</b>				
BL	BED LINER	Available	N/A	N/A
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available	Available
SZ	SNOWPLOW PREP PACKAGE	Available	Available	Available
<b>PAINT</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
<b>DOORS AND WINDOWS</b>				
SRG	SLIDING REAR WINDOW	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>FLOOR</b>				
CM	CARPETED FLOOR COVERING	Available	Available	Available
<b>INTERIOR</b>				
AP	ADJUSTABLE OPERATING PEDALS	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
DA	DELETE AIR CONDITIONING	N/A	Available	N/A
SK	METRIC ODOMETER	Available	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Std	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
<b>SEATS</b>				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	N/A	Available	Available
BF	SOLID BENCH FRONT SEAT	N/A	Available	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available	N/A	Available

**Federal Standard Number 307AG****291**

**TABLE 14****PICKUP, FULL SIZE, CREW CAB, 4 X 2**

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors, each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

**Item # 50**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F150 ALL NEW</b>	<b>GM C1500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W12	CC15543
PAYLOAD min. kg. (lbs.)	680 (1500)	1650	1650
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2721 (6000) / 3084 (6800)	6800	6800
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.6 (5.5)	5.5	5.8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/4.6	8/4.6	8/5.3
HORSEPOWER (min)	231	231	285
TORQUE (ft.-lb.)	293	293	325
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	110	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	94 (25)	30	25
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left only
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
<b>FLOOR</b>			
FLOOR COVERING	carpet	comply	comply
<b>INTERIOR</b>			
CRUISE CONTROL AND TILT STEERING	Min. REQ	comply	comply
AIR CONDITIONING		comply	comply
RADIO	AM/FM w/Clock/CD	am/fm/cd w/ clock	am/fm stereo w cd
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	17	16
TIRES	P235/R/AS	P255/R/AS	P235/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 2****Item # 50 - OPTIONAL EQUIPMENT**

		<b>FORD F150 ALL NEW</b>	<b>GM C1500</b>
<b>ENGINES</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Available 8/5.4,300,365	Std 8/5.3,285,325
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Std	N/A
SK	METRIC ODOMETER	Available	N/A
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****293**

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 2

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

#### Item # 51

GSA COMPONENTS	GSA. MIN. REQ.	GM
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CC15936
PAYLOAD min. kg. (lbs.)	635 (1400)	1400 lbs
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3084 (6800) / 3401 (7500)	6800
PICKUP BED, LOAD LENGTH min. m.(ft.)	1.4 (4.5)	4.5
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8/5.3	8/5.3
HORSEPOWER (min)	285	285
TORQUE (ft.-lb.)	325	325
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
<b>DRIVE AXLE</b>		
TOWING/MOUNTAIN RATIO	Min.	D7
PRIMARY DRIVE AXLE	REAR	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	117 (31)	31
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left only
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
<b>FLOOR</b>		
FLOOR COVERING	Carpet	comply
<b>INTERIOR</b>		
AIR CONDITIONING	REQ	comply
RADIO	AM/FM w/Clock/CD	comply
POWER STEERING	REQ	comply
CLOTH UPHOLSTERY	REQ	cloth
<b>SEATS</b>		
SEATING CAPACITY min.	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16	16
TIRES	P265/R/AS	P265/R/AS
<b>TOWING</b>		
FRONT TOW HOOKS	Min.	Comply
REAR BUMPER	Step type w/RH4 provisions	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 2

#### Item # 51 - OPTIONAL EQUIPMENT

<b>ENGINE OPTIONS</b>		<b>GM AVALANCHE</b>
EH	ENGINE BLOCK HEATER	Available
EHM	ENGINE HOUR METER	Std
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Available
SK	METRIC ODOMETER	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available



Federal Standard Number 307AG

295

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 2

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have 4 doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

#### Item # 51C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F250</b>	<b>GM C2500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W20	CC25743
PAYLOAD min. kg. (lbs.)	1278 (2818)	2818	3130
GROSS VEHICLE WEIGHT RATING			
min./max. kg (lbs.)	3900 (8600) / 4082 (9000)	8800	8600
PICKUP BED, LOAD LENGTH min. m.(ft.)	2 (6.5)	6.75	6.5
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	29	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left only
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/Clock	am/fm w/ clock	am/fm w/clock cd
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	16	16
TIRES	LT235/R/AS	LT235/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 2****Item # 51C - OPTIONAL EQUIPMENT**

		<b>FORD F250</b>	<b>GM C2500</b>
<b>BODY/CHASSIS</b>			
LB	PICKUP LONG BED	Available	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 6.8L,310,425	N/A
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,560	N/A
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Available	N/A
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Std
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Std
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	N/A
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Std
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Available	Available
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	Std	Available
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****297**

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 2

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

#### Item # 52

GSA COMPONENTS	GSA. MIN. REQ.	FORD F350	GM C2500 HD
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W30	CC25943 HD
PAYLOAD min. kg. (lbs.)	1,497 (3,300)	3818	3300
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4,172 (9,200) / 4,490 (9,900)	9900	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/ 6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	128 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM/FM w/Clock	am/fm w/ clock	AM/FM w/Clock
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM,	REQ	comply	comply
DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/single rear	16	16
TIRES	LT245/R/AS	LT265/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 2****Item # 52 - OPTIONAL EQUIPMENT**

		<b>FORD F350</b>	<b>GM C2500 HD</b>
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Available	Available
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,310,425	Available 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,560	Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Available
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL TOWING/MOUNTAIN RATIO	Available	Available
D7		Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Available	Available
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	Std	Available
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****299**

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 2**

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

**Item # 54**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM C3500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W32	CC35943
PAYLOAD min. kg. (lbs.)	2185 (4818)	4818	5200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4,988 (11,000) / 5170 (11,400)	11,200	11400
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/6.0	10/6.8	8/6.0
HORSEPOWER (min)	300	310	300
TORQUE (ft.-lb.)	360	425	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	38	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	REQ	comply	comply
RADIO	AM /FM w/Clock	am/fm w/ clock	AM/FM w/Clock
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16 w/dual rear	16	16
TIRES	Lt215/R/AS	LT215/R/AS	LT215/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**300****Federal Standard Number 307AG**

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 2****Item # 54 - OPTIONAL EQUIPMENT**

		<b>FORD F350</b>	<b>GM C3500</b>
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Available	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Std 10/6.8,310,425	Available 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,560	Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Available
<b>TRANSMISSION</b>			
T5	5-SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
<b>TIRES AND WHEELS</b>			
AT	ALL TERRAIN TIRES	Available	Available
<b>TOWING</b>			
FTH	FRONT TOW HOOKS	Std	Available
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 4**

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

**Item # 55**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD</b>	<b>GM</b>
<b>BODY/CHASSIS</b>		<b>F150 ALL NEW</b>	<b>K1500</b>
MFG. MODEL CODE		W14	CK15543
PAYLOAD min. kg. (lbs.)	590 (1300)	1398	1500
GROSS VEHICLE WEIGHT RATING			
min./max. kg (lbs.)	3038 (6700) / 3175 (7000)	6900	7000
PICKUP BED, LOAD LENGTH min. m.(ft.)	2 (5.5)	5.5	5.8
BODY STYLE	Smooth side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/4.6	8/4.6	8/5.3
HORSEPOWER (min)	231	231	270
TORQUE (ft.-lb.)	285	293	285
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	540	540	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	30	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear	front and rear
<b>FLOOR</b>			
FLOOR COVERING	carpet	comply	comply
<b>INTERIOR</b>			
CRUISE CONTROL AND TILT STEERING	Min.	comply	comply
AIR CONDITIONING	Req.	comply	comply
RADIO	AM/FM w/Clock/CD	am/fm/cd w/ clock	comply
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
ALL TERRAIN TIRES	Min.	comply	comply
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	17	17	17
TIRES	P245/R/AT	LT255/70R/AT	P265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

302

**Federal Standard Number 307AG**

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 4

#### Item # 55 - OPTIONAL EQUIPMENT

		FORD	GM
		F150 ALL NEW	K1500
<b>ENGINES</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Available 8/5.4,300,365	Std 8/5.3,270,285
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	N/A	Available
<b>DOORS AND WINDOWS</b>			
SRG	SLIDING REAR WINDOW	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Std	Available
SK	METRIC ODOMETER	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
<b>TIRES AND WHEELS</b>			
AS	ALL SEASON TIRES	Available	Available
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available



**Federal Standard Number 307AG**

**303**

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 4

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

#### Item # 56

GSA COMPONENTS	GSA. MIN. REQ.	GM
<b>BODY/CHASSIS</b>		<b>AVALANCHE</b>
MFG. MODEL CODE	611 (1348)	CK15936
PAYLOAD min. kg. (lbs.)	3174 (7000) / 3854 (8500)	1348
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	1.4 (4.5)	7000
PICKUP BED, LOAD LENGTH min. m.(ft.)	Smooth Side	4.5
BODY STYLE		comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8/5.3	8/5.3
HORSEPOWER (min)	285	285
TORQUE (ft. -lb.)	325	325
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	117 (31)	31
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Sail mount foldaway	comply
SKID PLATE	Req	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply
POWER WINDOWS & DOOR LOCKS	Min.	front and rear
<b>FLOOR</b>		
FLOOR COVERING	Carpet	comply
<b>INTERIOR</b>		
CRUISE CONTROL AND TILT STEERING	Min.	comply
AIR CONDITIONING	Req	comply
RADIO	AM/FM w/Clock/CD	am/fm w/clock cd
POWER STEERING	REQ	comply
CLOTH UPHOLSTERY	REQ	cloth
<b>SEATS</b>		
SEATING CAPACITY min.	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	17	17
TIRES	P265/R/AT	P265/R/00
<b>TOWING</b>		
FRONT TOW HOOKS	Min.	Comply
REAR BUMPER	Step type w/RH4 provisions	comply
RECEIVER HITCH		
OEM DRAW BAR RECEIVER CLASS IV		comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

304

### Federal Standard Number 307AG

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 4

#### Item # 56 - OPTIONAL EQUIPMENT

<b>ENGINE OPTIONS</b>		<b>GM AVALANCHE</b>
EH	ENGINE BLOCK HEATER	Available
EHM	ENGINE HOUR METER	Std
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Available
<b>INTERIOR</b>		
AP	ADJUSTABLE OPERATING PEDALS	Available
SK	METRIC ODOMETER	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available
<b>SAFETY</b>		
SIAB	SIDE IMPACT AIR BAGS	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available



## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 4

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

#### Item # 56C

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F250</b>	<b>GM K2500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W21	CK25743
PAYLOAD min. kg. (lbs.)	1040 (2292)	2292	2800
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3900 (8600) / 4081 (9000)	8800	8600
PICKUP BED, LOAD LENGTH min. m.(ft.)	2 (6.5)	6.75	6.5
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2-speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	98 (26)	29	26
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
RADIO	AM /FM w/Clock	am/fm w/ clock	AM/FM w/Clock/CD
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
ALL TERRAIN TIRES	Min.	comply	Comply
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16	16	16
TIRES	LT235/R/AT	LT235/R/AT	LT245/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	Comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 4****Item # 56C - OPTIONAL EQUIPMENT**

		<b>FORD</b>	<b>GM</b>
		<b>F250</b>	<b>K2500</b>
<b>BODY/CHASSIS</b>			
LB	PICKUP LONG BED	Available	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 10/6.8,310,425	N/A
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0,325,560	N/A
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Std
EHM	ENGINE HOUR METER	N/A	Available
<b>TRANSMISSION</b>			
T6	6-SPEED MANUAL TRANSMISSION	Available	N/A
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
SZ	SNOWPLOW PREP PACKAGE	Available	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
PWL	POWER WINDOWS & DOOR LOCKS	Available	Std
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Std
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY, FRONT AND REAR	Available	N/A
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Std
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****307**

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 4

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

#### Item # 57

GSA COMPONENTS	GSA. MIN. REQ.	GM
<b>BODY/CHASSIS</b>		<b>K2500 HD</b>
MFG. MODEL CODE		CK25943
PAYLOAD min. kg. (lbs.)	1406 (3100)	3100
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4172 (9200) / 4490 (9900)	9200
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8
BODY STYLE	Smooth Side	comply
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	8/6.0	8/6.0
HORSEPOWER (min)	300	300
TORQUE (ft.-lb.)	360	360
COOLING SYSTEM	HDA	comply
ENGINE HOUR METER	REQ	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
TRANSFER CASE	2 - Speed	2-speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	REAR	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	4.10
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	98 (26)	26
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Sail mount foldaway	comply
SKID PLATE	Req	comply
<b>DOORS AND WINDOWS</b>		
DOORS	4	4
KEYED DOOR LOCKS		left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
RADIO	AM /FM w/Clock	AM/FM w/Clock
POWER STEERING	REQ	comply
CLOTH UPHOLSTERY	REQ	comply
<b>SEATS</b>		
SEATING CAPACITY min.	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic
WHEEL DIAMETER	w/single rear	16
TIRES	LT245/R/AT	LT245/R/00
<b>TOWING</b>		
FRONT TOW HOOKS	Min.	comply
REAR BUMPER	Step type w/RH2 provisions	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 4****Item # 57 - OPTIONAL EQUIPMENT**

		<b>GM K2500 HD</b>
<b>BODY/CHASSIS</b>		
L6	SHORT BED PICKUP BODY	Available
<b>ENGINES</b>		
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Available 8/8,1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6,6,300,520
<b>ALTERNATIVE FUEL ENGINES</b>		
CNG2	DUAL FUEL (CNG AND GASOLINE)	Available
<b>ENGINE OPTIONS</b>		
EH	ENGINE BLOCK HEATER	Available
<b>TRANSMISSION</b>		
T5	5 SPEED MANUAL TRANSMISSION	Available
T6	6-SPEED MANUAL TRANSMISSION	Available
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
D7	TOWING/MOUNTAIN RATIO	Available
<b>ELECTRICAL</b>		
MCTE	ON BOARD 5000 WATT ELECTRICAL SYS,	Available
<b>EXTERIOR</b>		
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available
FPUC	FIBER GLASS PICKUP CAP, REQUIRES MC	Available
MWW	REMOVABLE WINCH, REQUIRES MCT	Available
SZ	SNOWPLOW PREP PACKAGE	Available
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Available
<b>DOORS AND WINDOWS</b>		
RKE	REMOTE KEYLESS ENTRY	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
<b>FLOOR</b>		
CM	CARPETED FLOOR COVERING	Available
<b>INTERIOR</b>		
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
<b>RADIO</b>		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
<b>SEATS</b>		
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available
<b>SUSPENSION</b>		
MCTL	MILITARY PACKAGE, OFF ROAD EXTENDED	Available
MCT	OFF ROAD EXTENDED DUTY PKG, REQUIRED	Available
<b>RECEIVER HITCH</b>		
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available
<b>DELIVERY</b>		
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available
DDRH	DEALER DELIVERY HAWAII	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Available

**Federal Standard Number 307AG****309**

**TABLE 14 - CONTINUED****4X4 PICKUP, FULL SIZE, CREW CAB, MIN  
9900 LBS GVWR**

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

**Item # 57A**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD F350</b>	<b>GM K3500</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W31	CK35943
PAYLOAD min. kg. (lbs.)	1406 (3100)	3234	3450
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4172 (9200) / 4490 (9900)	9900	9900
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/6.0
HORSEPOWER (min)	260	260	300
TORQUE (ft.-lb.)	350	350	360
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 speed	4 speed	4 speed
TRANSFER CASE	2 speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	129 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
RADIO	AM/FM w/Clock	AM/FM w/Clock	AM/FM w/Clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY		comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/04
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	w/single rear	16	16
TIRES	LT245/R/AT	LT265/R/AT	LT265/R/00
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

**310****Federal Standard Number 307AG**

**TABLE 14 - CONTINUED****4X4 PICKUP, FULL SIZE, CREW CAB, MIN  
9900 LBS GVWR****Item # 57A - OPTIONAL EQUIPMENT**

		<b>FORD F350</b>	<b>GM K3500</b>
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Available	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng.-Cyl/HP/Torque	Available 10/6.8,310,425	Available 8/8.1,330,450
YD	DIESEL ENGINE Eng.-Cyl/HP/Torque	Available 8/6.0,325,560	Available 8/6.6,300,520
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Available
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>ELECTRICAL</b>			
MCTE	ON BOARD 5000 WATT ELECTRICAL SYS,	N/A	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
FPUC	FIBER GLASS PICKUP CAP, REQUIRES MC	N/A	Available
MWW	REMOVABLE WINCH,REQUIRES MCT	N/A	Available
SZ	SNOWPLOW PREP PACKAGE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	Available	Available
<b>DOORS AND WINDOWS</b>			
RKE	REMOTE KEYLESS ENTRY	Available	Available
SRG	SLIDING REAR WINDOW	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
VJ	VINYL UPHOLSTERY	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
<b>SUSPENSION</b>			
MCTL	MILITARY PACKAGE, OFF ROAD EXTENDED	N/A	Available
MCT	OFF ROAD EXTENDED DUTY PKG, REQUIRED	N/A	Available
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****311**

## TABLE 14 - CONTINUED

### PICKUP, FULL SIZE, CREW CAB, 4 X 4

A full size pickup with a crew cab shall be provided. The vehicle shall be equipped with the specified length flush style, double walled construction metal bed with stake pockets and tailgate with stays. The flush side pickup body shall have the bed-sides even with the cab doors (except dual wheel vehicles, where extension fenders may be employed). The bed shall provide a minimum of 122 cm (48 in) of unobstructed floor space between the wheel housings. The cab shall have four (4) doors each with a window. A rear seating arrangement in the cab for three (3) passengers shall be provided.

#### Item # 59A

GSA COMPONENTS	GSA. MIN. REQ.	FORD F350	GM K3500
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		W33	CK35943
PAYLOAD min. kg. (lbs.)	1993 (4393)	4393	5000
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	5080 (11,200) / 5,688 (12,500)	11,200	11400 lbs
PICKUP BED, LOAD LENGTH min. m.(ft.)	2.4 (8)	8	8
BODY STYLE	Smooth Side	comply	comply
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/6.0	10/6.8	8/6.0
HORSEPOWER (min)	300	310	310
TORQUE (ft.-lb.)	360	425	425
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed
TRANSFER CASE	2 - Speed	2 speed	2 speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	REAR	rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	4.10
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	750	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	130 (34)	38	34
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Sail mount foldaway	comply	comply
SKID PLATE	Req	comply	comply
<b>DOORS AND WINDOWS</b>			
DOORS	4	4	4
KEYED DOOR LOCKS		left and right	left and right
WINDSHIELD WIPERS	Intermittent & multi speed w/washer	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
RADIO	AM /FM w/Clock	am/fm w/ clock	am/fm w/ clock
POWER STEERING	REQ	comply	comply
CLOTH UPHOLSTERY	REQ	comply	comply
<b>SEATS</b>			
SEATING CAPACITY min.	6	6	6
SPLIT FRONT BENCH SEAT	REQ	40/20/40	40/20/40
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR	REQ	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	REQ	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	REQ	comply	comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
FRONT WHEEL LOCKING HUBS	Mfg. std.	automatic	automatic
WHEEL DIAMETER	16 w/dual rear	16	16
TIRES	LT215/R/AT	LT235/R/AT	LT235/R/AT
<b>TOWING</b>			
FRONT TOW HOOKS	Min.	comply	comply
REAR BUMPER	Step type w/RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

312

### Federal Standard Number 307AG

**TABLE 14 - CONTINUED****PICKUP, FULL SIZE, CREW CAB, 4 X 4****Item # 59A - OPTIONAL EQUIPMENT**

		<b>FORD F350</b>	<b>GM K3500</b>
<b>BODY/CHASSIS</b>			
L6	SHORT BED PICKUP BODY	Available	N/A
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	Std 10/6.8,310,425	Available 8/8.1,330,450
YD	DIESEL ENGINE Eng-Cyl/HP/Torque	Available 8/6.0 ,325,560	Available 8/6.6,300,520
<b>ENGINE OPTIONS</b>			
EH	ENGINE BLOCK HEATER	Available	Available
EHM	ENGINE HOUR METER	N/A	Std
<b>TRANSMISSION</b>			
T5	5 SPEED MANUAL TRANSMISSION	N/A	Available
T6	6-SPEED MANUAL TRANSMISSION	Available	Available
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available
<b>EXTERIOR</b>			
RM	EXTRA WIDE MIRRORS, CAMPER TYPE	Available	Available
SZ	SNOWPLOW PREP PACKAGE	Available	Available
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Available
<b>DOORS AND WINDOWS</b>			
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available
<b>FLOOR</b>			
CM	CARPETED FLOOR COVERING	Available	Available
<b>INTERIOR</b>			
AP	ADJUSTABLE OPERATING PEDALS	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available
DA	DELETE AIR CONDITIONING	Available	N/A
SK	METRIC ODOMETER	Available	Available
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available
<b>SEATS</b>			
RS	RECLINING BUCKET/CAPTAINS CHAIRS	Available	Available
BF	SOLID BENCH FRONT SEAT	Available	N/A
<b>RECEIVER HITCH</b>			
RH4	OEM DRAW BAR RECEIVER CLASS IV	Available	Available
<b>DELIVERY</b>			
CNS	CONSIGNEE (DIRECT) DELIVERY (NO DEALER PREP)	Available	Available
DDRG	DEALER DELIVERY GUAM	Available	N/A
DDRH	DEALER DELIVERY HAWAII	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	N/A	Available

**Federal Standard Number 307AG****313**